

# SINC Recording Form

## SITE SUMMARY

SITE NAME:	Wyelands (LDP candidate site CS/0164)				
GRID REF:	ST520915	SURVEYOR(S):			
SIZE (approx.):	3.5ha	Jan Winder (2009)			
DATE OF SURVEY:	June 2009 & June 2010				
WARD:	Vilas Anthwal (2010)				
LOCAL AUTHORITY AREA:	Monmouthshire	SOIL TYPE:	Freely draining slightly acid loamy soils		
		GEOLOGY:			
		SLOPE:	0°	HEIGHT IN M:	15

### MAIN HABITAT TYPES PRESENT:

Habitat types	NVC type	Area (ha)
Marshy grassland	MG10/M23	0.25
Tall herb		0.05
Broadleaved woodland		0.05

### SKETCH MAP OF SITES LOCATION:



### LBAP PRIORITY HABITATS/SPECIES PRESENT?

Species Rich Grassland  
Woodland

### FULL DESCRIPTION OF SITE (including topography, adjacent land use, boundaries etc.):

A flat site with drains running along the northern and southern boundaries surrounded by grassland to the north and east, housing to the south, and woodland to the west. The site comprises a mosaic of marshy grassland, scrub and tall herb communities.

The marshy grassland including a groups of species associated with transitions between NVC communities MG10 and M23 including marsh bedstraw *Gallium palustre*, sharp-flowered rush *Juncus acutifolius* and greater bird's-foot trefoil *Lotus uliginosus*. Here rushes, grasses and sedge are tall, tussocky and dominant with scrambling herbs in the understorey. In discrete patches meadow sweet *Filipendula ulmaria*, and hemlock water-dropwort *Oenanthe crocata* dominate the majority of the understorey a possible sign of the abandonment of the field.

Towards the margins of the wetter ground, scrub and tall herbs dominate and there are several mature oaks across the site as well as two relatively small areas of mature broadleaved woodland.

A records exist for otter in the area and such habitat in spite of it's proximity to housing may provide a suitable resting place for this species. The Wildlife Site selection criteria also identify these habitats as of potential importance to marsh fritillary butterfly and double-line moth.

**Official Use Only:** Site selected as a Wildlife Site/SINC? YES  NO  Date: 15/07/2010

# DETAILED SITE INFORMATION

SITE OWNERSHIP: Including names of any tenants/graziers

Name(s)

Address

Tel.no.

Mobile:

Please log all landowner/tenant contact starting from the initial permission for access to survey

Date Contact Discussion subjects/decisions made

Is/are the owner(s)

- i) aware of the site's nature conservation value?
- ii) managing the land sympathetically?
- iii) willing to manage the land sympathetically?

Yes

No

Yes

No

Yes

No

Unknown



Describe the access to the site:

Access from Birdwood Gardens to the south via a gate in the south-east corner of the site.

Are there any public rights of way on the site?

No

If so please describe their location:

[Large empty box for description]

What is the current management at the site?

Unmanaged

Are there any threats to the site?

LDP candidate site CS/0164

Are there any invasive species present?

None

Are there any protected species present?

Unknown


Please state the section(s) of the Wildlife Site Guidelines that this site qualifies under:

H7 Marshy grassland- A rich example of a transition of NVC communities M23 and MG10 occurs on site including a total of 12 species from the marshy grassland indicator lists.

Is the site part of any grant schemes? Yes  No  Grant Scheme:.....End date:.....

Does the site already have any designations? Yes  No  Designation:.....

Phase one map of site:



Please list all additional survey information both past and present that relates to this site:

<http://www.landis.org.uk/soilscapes/>

LDP ecological assessment 2009 ref: CS/0164

---

**OFFICE USE ONLY**

Site no.:

Please note: The data on this form may be held in accordance with the Monmouthshire County Council's registration under the Data Protection Act 1996

---

SITE NAME:

FIELD NUMBER:

DATE:

	D		D		D
Agrostis tenuis (common bent)	✓	f/la	Conopodium majus (pignut)		Primula veris (cowslip)
Agrostis stolonifera (creeping bent)	✓	o	Crepis capillaris (smooth hawks-beard)		Prunella vulgaris (self-heal)
Aira praecox (early hair-grass)			Crepis biennis (rough hawks-beard)		Pteridium aquilinum (bracken)
Alopecurus geniculatus (marsh foxtail)			Dactylorhiza fuchsii (c. spotted orchid)		Pulicaria dysenterica (fleabane)
Alopecurus pratensis (meadow foxtail)	✓	a	Dactylorhiza praetermissa (s.msh orchid)		Ranunculus acris (meadow buttercup)
Anthoxanthum odoratum(sweet vnl grass)	✓	f	Daucus carota (wild carrot)		Ranunculus auricomus (gldcks buttercup)
Arrhenatherum elatius (false oat grass)	✓	f	Equisetum arvense (field horsetail)		Ranunculus bulbosus (bulbous buttercup)
Brachypodium pinnatum (tor grass)			Erica cinerea (bell-heather)		Ranunculus flammula (lesser spearwort)
Briza media (quaking grass)			Erica tetralix (cross-leaved heath)		Ranunculus repens (creeping buttercup)
Bromopsis erecta (upright brome)			Eupatorium cannabinum (hemp-agrimony)		Rhinanthus minor (yellow rattle)
Bromus commutatus (meadow brome)			Euphorbia amygdaloides (wood spurge)		Rubus fruticosus (bramble)
Bromus racemosus (smooth brome)			Euphrasia officinalis agg. (eyebright)		Rumex acetosa (common sorrel)
Cynosurus cristatus (crested dog's tail)			Filipendula ulmaria (meadowsweet)	✓	Rumex acetosella (sheeps sorrel)
Dactylis glomerata (cocks foot)	✓	f	Fragaria vesca (wild strawberry)		Sanguisorba minor (salad burnet)
Danthonia decumbens (heath grass)			Galium odoratum (sweet woodruff)		Scabiosa columbaria (small scabious)
Deschampsia caespitosa (tfld hair grass)			Galium palustre (marsh-bedstraw)	✓	Scrophularia nodosa (figwort)
Deschampsia flexuosa (wavy hair-grass)			Galium saxatile (heath bedstraw)		Senecio aquaticus (marsh ragwort)
Eriophorum angustifolium(cmn ctngrass)			Galium verum (lady's bedstraw)		Senecio jacobea (ragwort)
Festuca ovina (sheep's fescue)			Genista tinctoria (dyers greenweed)		Silaum silaus (pepper-saxifrage)
Festuca rubra (red fescue)			Geranium pratense (meadow cranes bill)		Stachys officinalis (betony)
Glyceria fluitans (floating sweet-grass)			Geranium robertianum (herb robert)		Stachys palustris (marsh woundwort)
Helicotrichon pratense (mdw oat-grass)			Glechoma hederacea (ground ivy)		Stachys sylvatica (hedge woundwort)
Holcus lunatus (yorkshire fog)	✓		Helianthemum nummularium (rock-rose)		Stellaria graminea (lesser stichwort)
Holcus mollis (creeping soft grass)			Heracleum sphondylium (hogweed)	✓	Stellaria holostea (greater stichwort)
Lolium perenne (perennial rye grass)			Hyacinthoides non-scripta (bluebell)		Succisa pratensis (devils bit-scabious)
Milium effusum (wood millet)			Hypericum maculatum(imp StJohns-Wort)		Taraxacum officianle (dandelion)
Melica uniflora (wood mellick)			Hypericum perforatum (pf St Johns-Wort)		Thymus polytrichus (wild thyme)
Molinia caerulea (purple moor-grass)			Hypericum tetrapterum (sq.sq StJns-Wort)	✓	Trifolium medium (zig zag clover)
Nardus stricta (mat grass)			Hypochoeris glabra (smooth cats ear)		Trifolium pratense (red clover)
Phalaris arundinacea (reed canary grass)	✓	o	Hypochoeris radicata (common cats ear)		Trifolium repens (white clover)
Phleum pratense (timothy grass)			Jasione montana (sheep's bit)		Tragopogon pratensis (goat's-beard)
Poa annua (annual meadow grass)			Juncus acutiflorus (sharp-flowered rush)	✓	Vaccinium myrtillus (bilberry)
Poa trivialis (rough meadow grass)			Juncus articulatus (jointed rush)		Valeriana dioica (marsh valerian)
Trisetum flavescens (yellow oat grass)			Juncus conglomeratus (compact rush)		Valeriana officinalis (common valerian)
Achillea millefolium (yarrow)			Juncus effusus (soft rush)	✓	Veronica beccabunga (brooklime)
Achillea ptarmica (sneezewort)			Juncus inflexus (hard rush)	✓	Veronica chamaedrys (gemdr. speedwell)
Agrimonia eupatoria (agrimony)			Juncus squarrosum (heath rush)		Vicia cracca (tufted vetch)
Ajuga reptans (bugle)			Juncus subnodulosus (blunt-flowered rush)		Vicia sativa (common vetch)
Alchemilla filicaulis (Lady's mantle)			Knautia arvensis (field scabious)		Vicia sepium (bush vetch)
Alliaria petiolata (garlic mustard)			Lamiastrum galeobdolon(yellow archangel)		Viola canina (heath dog-violet)
Allium ursinum (ramsons)			Lathyrus nissolia (grass vetchling)		Viola reichenbachiana (pale dog-violet)
Anemone nemorosa (wood anemone)			Lathyrus pratensis (meadow vetchling)	✓	Viola riviniana (common dog violet)
Angelica sylvestris (wild angelica)			Leontodon autumnalis (autumn hawkbit)		Wahlenbergia hederacea (ivy-lvd bl-flower)
Blackstonia perfoliata (yellow-wort)			Leontodon hispidus (rough hawkbit)		Glyceria declinata
Calluna vulgaris (ling heather)			Leontodon saxatilis (lesser hawkbit)		Carex otrubae
Caltha palustris (marsh marigold)			Leucanthemum vulgare (oxeye daisy)		Iris pseudocorus
Campanula rotundiflora (harebell)			Linum catharticum (fairy flax)		Solanum dulcamara
Campanula trachelium (net-lvd bellflower)			Listera ovata (tway-blade orchid)		Carex hirta
Cardamine pratensis (cuckoo flower)			Lotus corniculatus (birds-foot trefoil)		Juncus bufonius
Carex caryophyllea (spring sedge)			Lotus uliginosus(greater birds-foot trefoil)	✓	Urtica dioica
Carex disticha (brown sedge)			Luzula campestris (field wood rush)		Epilobium sp.
Carex divulsia (grey sedge)			Luzula multiflora (heath wood-rush)		
Carex echinata (star sedge)			Lychnis flos-cuculi (ragged robin)	✓	
Carex flacca (glaucous sedge)			Melampyrum pratense (cow-wheat)		
Carex nigra (common sedge)			Mentha aquatica (water mint)	✓	
Carex ovalis (oval sedge)			Mercurialis perennis (dog's-mercury)		
Carex panicea (carnation sedge)			Myosotis arvensis (field forget-me-not)		
Carex pendula (pendulous sedge)			Narcissus pseudonarcissus (wild daffodill)		
Carex remota (distant sedge)			Oenanthe crocata (hmlck water-dropwort)	✓	
Carex riparia (greater pond-sedge)			Ononis repens (common restarrow)		
Carex rostrata (bottle sedge)			Ophrys apifera (bee orchid)		Fauna recorded during survey:
Carex spicata (spiked sedge)			Orchis mascula (early purple orchid)		
Carex sylvatica (wood sedge)			Orchis morio (green-winged orchid)		
Centaurea nigra (common knapweed)			Pilosella officinarum (mse-ear hawkweed)		
Centaurea scabiosa (greater knapweed)			Pimpinella saxifraga (burnet saxifrage)		
Centaurium erythraea (cmnn centuary)			Plantago lanceolata (ribwort plantain)		
Cerastium holosteoides(cm. mouse-ear)			Polygala serpyllifolia (heath milkwort)		
Chrysosplenium oppositifolium (op.l.gsxfg)			Polygala vulgaris (common milkwort)		
Cirsium arvense (creeping thistle)			Potentilla anserina (silverweed)		
Cirsium dissectum (meadow thistle)			Potentilla erecta (tormentil)		
Cirsium palustre (marsh thistle)	✓	f	Potentilla reptans (creeping cinquefoil)		
Cirsium vulgare (spear thistle)			Potentilla sterilis (barren strawberry)		