SINC Recording Form

SITE SUMMARY

SITE NAME:	Land adjoining Old Hereford	Road (LDP cand	lidate site CS/0227	7)		
GRID REF: SIZE (approx.): 2 DATE OF SURV			RVEYOR(S):	Jan Winder (2009) Anna Gundrey (2010 update)		
LOCAL AUTHO Monmouthshire WARD: Abergave		SOIL TYP GEOLOG SLOPE:		HEIGHT IN M: 115-145		
MAIN HABITA' Habitat types SI neutral grasslar Species-rich hedge		Area (ha) 2.2ha SKETCH MAP OF SITES LOCATION				
LBAP PRIORITY Species-rich grass Boundary and line		S PRESENT?				
The site is a field and east, and by by species-rich hadjacent to the east adjacent to the east was grazed by he sweet vernal grathroughout the finand red clover. No rare species a example of MGS. The hedgerows to rose and small-less than the site is a field and red clover.	fields to the north and westedgrows on the south, we astern edge of the field. -improved neutral grasslatorses in 2010. The NVC to see, crested dog's tail, red field, along with common course present, but the field has a such it meets the SIII that bound the field are specified are specified and seed are specified and seed are specified are specifie	Abergavenny at st. The field slost and north side and, which was bype is MG5. Frescue and yorks eat's ear, bulbout as a high proportion for ecies-rich and in honeysuckle at	Mardy. It is surrepes down to the test. The east side eing grown for hequently occuring hire fog. Comments buttercup, meantion of herbaceouneutral meadows include holly, eldere climing through	rounded by housing to the south the south and east and is bounded is a fence. A public footpath runs hay when surveyed in 2009, and g grasses include common bent, on knapweed is frequent dow buttercup, ribwort plantain has species and is a fairly typical		

Official Use Only: Site selected as a Wildlife Site/SINC? YES X NO Date: 15/07/2010

DETAILED SITE INFORMATION

Name(s) Address	VNERSHIP: Including names	or any tenants/ graziers						
Tel.no.	Mobile:							
Please log Date	g all landowner/tenant contact Contact	arting from the initial permission for access to survey Discussion subjects/decisions made						
Describe Access to	ii) managing the iii) willing to ma the access to the site: the site is from the footpath that roint, so the fence has to be climbed	ite's nature conservation value? Yes o land sympathetically? Yes No unage the land sympathetically? Yes To Unknown uns along the eastern edge of the site. There is no gate or stile into the field to get in. The footpath is accessed via Charles Cresent, where parking is						
If so plea	any public rights of way on the se describe their location:							
But a foc	otpath runs adjacent to the east	tern edge of the site.						
What is the Horse gr	he current management at the azing	Are there any threats to the site? Yes Candidate LDP site CS/0227						
Are there	any invasive species present?	Are there any protected species present? No – but the site has potential for bats (foraging and computing) hadger breeding birds reptiles and						
		commuting), badger, breeding birds, reptiles and dormice.						

Please state the section(s) of the Wildlife Site Guidelines that this site qualifies under:

H4 Neutral Grasslands: All examples of MG5 meadows
H17 Hedgerows (supporting criterion)

Is the site part of any grant schemes? Yes No Grant Scheme: End date: Does the site already have any designations? Yes No Designation:

Phase one map of site:



Please list all additional survey information both past and present that relates to this site:

LDP ecological assessment 2009 reference CS/0227.

Original SINC survey carried out by Jan Winder in June 2009.

OFFICE USE ONLY

Site no.:

Please note: The data on this form may be held in accordance with the Monmouthshire County Council's registration under the Data Protection Act 1996

SITE NAME:	FIELD NUMBER:	DATE:

SITE NAME:	fil	D	FIELD NUMBER:		D	DATE:	a	D
Agrostis tenuis (common bent)	/	F	Conopodium majus (pignut)			Primula veris (cowslip)	T	
Agrostis stolonifera (creeping bent)			Crepis capillaris (smooth hawks-beard)			Prunella vulgaris (self-heal)		
Aira praecox (early hair-grass)			Crepis biennis (rough hawks-beard)			Pteridium aquilinium (bracken)	/	О
Alopecurus geniculatus (marsh foxtail)			Dactylorhiza fuchsii (c. spotted orchid)			Pulicaria dysenterica (fleabane)		
Alopecurus pratensis (meadow foxtail)			Dactylorhiza praetermissa (s.msh orchid)			Ranunculus acris (meadow buttercup)	/	F
Anthoxanthum odoratum(sweet vnl grass)	/	F	Daucus carota (wild carrot)	_		Ranunculus auricomus (gldlcks buttercup)		
Arrhenatherum elatius (false oat grass)	/	F	Equisetum arvense (field horsetail)			Ranunculus bulbosus (bulbous buttercup)	/	F
Brachypodium pinnatum (tor grass)			Erica cinerea (bell-heather)	-		Ranunculus flammula (lesser spearwort)	4.	ъ
Briza media (quaking grass)			Erica tetralix (cross-leaved heath)			Ranunculus repens (creeping buttercup)	/	R
Bromopsis erecta (upright brome)			Eupatorium cannabinum (hemp-agrimony)	+		Rhinanthus minor (yellow rattle)	+	
Bromus commutatus (meadow brome)			Euphorbia amygdaloides (wood spurge)	+		Rubus fruticosus (bramble)	,	F
Bromus racemosus (smooth brome)	,	F	Euphrasia officinalis agg. (eyebright)	1		Rumex acetosa (common sorrel)		F
Cynosurus cristatus (crested dog's tail) Dactylis glomerata (cocks foot)	/	F	Filipendula ulmaria (meadowsweet) Fragaria vesca (wild strawberry)	+		Rumex acetosella (sheeps sorrel) Sanguisorba minor (salad burnet)	+	
Danthonia decumbens (heath grass)		1	Galium odoratum (sweet woodruff)	+		Scabiosa columbaria (small scabious)	+	
Deschampsia caespitosa (tftd hair grass)			Galium palustre (marsh-bedstraw)	+		Scrophularia nodosa (figwort)	+	
Deschampsia flexuosa (wavy hair-grass)			Galium saxatile (heath bedstraw)	+		Senecio aquaticus (marsh ragwort)	+	
Eriophorum angustifolium(cmn cttngrass)			Galium verum (lady's bedstraw)	1		Senecio jacobea (ragwort)		
Festuca ovina (sheep's fescue)			Genista tinctoria (dyers greenweed)	1		Silaum silaus (pepper-saxifrage)		
Festuca rubra (red fescue)	/	F	Geranium pratense (meadow cranes bill)			Stachys officinalis (betony)		
Glyceria fluitans (floating sweet-grass)			Geranium robertianum (herb robert)			Stachys palustris (marsh woundwort)		
Helictotrichon pratense (mdw oat-grass)			Glechoma hederacea (ground ivy)			Stachys sylvatica (hedge woundwort)		
Holcus lunatus (yorkshire fog)	/	A	Helianthemum nummularium (rock-rose)			Stellaria graminea (lesser stichwort)		
Holcus mollis (creeping soft grass)	/	О	Heracleum sphondylium (hogweed)	/	О	Stellaria holostea (greater stichwort)		
Lolium perenne (perrenial rye grass)	/	R	Hyacinthoides non-scripta (bluebell)			Succisa pratensis (devils bit-scabious)		
Milium effusum (wood millet)			Hypericum maculatum(imp StJohns-Wort)			Taraxacum officianle (dandelion)	/	О
Melica uniflora (wood mellick)			Hypericum perforatum (pf St Johns-Wort)			Thymus polytrichus (wild thyme)		
Molinia caerulea (purple moor-grass)			Hypericum tetrapterum (sq.sd StJns-Wort)			Trifolium medium (zig zag clover)		
Nardus stricta (mat grass)			Hypochoeris glabra (smooth cats ear)			Trifolium pratense (red clover)	/	F
Phalaris arundinacea (reed canary grass)			Hypochoeris radicata (common cats ear)	/	F	Trifolium repens (white clover)	/	F
Phleum pratense (timothy grass)			Jasione montana (sheep's bit)	-		Tragopogon pratensis (goat's-beard)	_	
Poa annua (annual meadow grass)	,		Juncus acutiflorus (sharp-flowered rush)	-		Vaccinium myrtillus (bilberry)	-	
Poa trivialis (rough meadow grass)	/	О	Juncus articulatus (jointed rush)	+	-	Valeriana dioica (marsh valerian) Valeriana officinalis (common valerian)	-	
Trisetum flavescens (yellow oat grass)	,	0	Juncus conglomeratus (compact rush)	+		· · · · · · · · · · · · · · · · · · ·	-	
Achillea millefolium (yarrow)	/	О	Juncus effusus (soft rush) Juncus inflexus (hard rush)	+		Veronica beccabunga (brooklime) Veronica chamaedrys (gemdr. speedwell)	+	
Achillea ptarmica (sneezewort) Agrimonia eupatoria (agrimony)			Juneus squarrosus (heath rush)	+		Vicia cracca (tufted vetch)	+	
Ajuga reptans (bugle)			Juncus subnodulosus (blunt-flowerd rush)	1		Vicia sativa (common vetch)	1	
Alchemilla filicaulis (Lady's mantle)			Knautia arvensis (field scabious)	+		Vicia sepium (bush vetch)	+	
Alliaria petiolata (garlic mustard)			Lamiastrum galeobdolon(yellow archangel)	1		Viola canina (heath dog-violet)		
Allium ursinum (ramsons)			Lathyrus nissolia (grass vetchling)			Viola reichenbachiana (pale dog-violet)		
Anemone nemorosa (wood anemone)			Lathyrus pratensis (meadow vetchling)	1		Viola riviniana (common dog violet)		
Angelica sylvestris (wild angelica)			Leontodon autumnalis (autumn hawkbit)	/	О	Wahlenbergia hederacea (ivy-lvd bl-flower)		
Blackstonia perfoliata (yellow-wort)			Leontodon hispidus (rough hawkbit)	/	О	Bromus hordeaceous	/	О
Calluna vulgaris (ling heather)			Leontodon saxatilis (lesser hawkbit)					
Caltha palustris (marsh marigold)			Leucanthemum vulgare (oxeye daisy)					
Campanula rotundiflora (harebell)			Linum catharticum (fairy flax)					
Campanula trachelium (net-lvd bellflower)			Listera ovata (tway-blade orchid)					
Cardamine pratensis (cuckoo flower)			Lotus corniculatus (birds-foot trefoil)	/	R			
Carex caryophyllea (spring sedge)			Lotus uliginosus(greater birds-foot trefoil)					
Carex disticha (brown sedge)			Luzula campestris (field wood rush)	/	О			
Carex divulsa (grey sedge)			Luzula multiflora (heath wood-rush)	-				
Carex echinata (star sedge)			Lychnis flos-cuculi (ragged robin)					
Carex flacca (glaucous sedge)			Melampyrum pratense (cow-wheat)	+	_		+-	
Carex nigra (common sedge)			Mentha aquatica (water mint)	1			-	
Carex ovalis (oval sedge)			Mercurialis perennis (dog's-mercury)	+	-		+	
Carex panicea (carnation sedge) Carex pendula (pendulous sedge)			Myosotis arvensis (field forget-me-not) Narcissus pseudonarcissus (wild daffodill)	+			+	
Carex remota (distant sedge)			Oenanthe crocata (hmlck water-dropwort)	+			-	
Carex riparia (greater pond-sedge)			Ononis repens (common restharrow)	+			+	
Carex rostrata (bottle sedge)			Ophrys apifera (bee orchid)	t		Fauna recorded during survey:		•
Carex spicata (spiked sedge)	t	1	Orchis mascula (early purple orchid)	1				
Carex sylvatica (wood sedge)		İ	Orchis morio (green-winged orchid)					
Centaurea nigra (common knapweed)	/	F	Pilosella officinarum (mse-ear hawkweed)					
Centaurea scabiosa (greater knapweed)	İ		Pimpinella saxifraga (burnet saxifrage)	1				
Centaurium erythraea (cmmn centuary)			Plantago lanceolata (ribwort plantain)	/	F			
Cerastium holosteoides(cmn. mouse-ear)	/	R	Polygala serpyllifolia (heath milkwort)					
Chrysosplenium oppositifolium (op.l.gsxfg)			Polygala vulgaris (common milkwort)					
Cirsium arvense (creeping thistle)			Potentilla anserina (silverweed)					
Cirsium dissectum (meadow thistle)			Potentilla erecta (tormentil)					
Cirsium palustre (marsh thistle)			Potentilla reptans (creeping cinquefoil)					
Cirsium vulgare (spear thistle)			Potentilla sterilis (barren strawberry)					
								