Gwent Wildlife Site/SINC Notification Form

SITE SUMMARY

indicator species.

or a seminary					
SITE NAME: Goytre House \	Vood				
GRID REF: S O 3 1 7	e Tvler				
SIZE (approx.): 4.89ha					
DATE OF SURVEY: Spring 202	1				
LOCAL AUTHORITY AREA:			SKETCH	I MAP OI	F SITES LOCATION:
Monmouthshire				Y00 0	12 10 10 10 10 10 10 10 10 10 10 10 10 10
WARD: Goetre Fawr					
MAIN HABITAT TYPES PRESI	ENT:				
Habitat types	NVC type	Area (ha)		GOETRE	ECIVAC
Broad-leaved Woodland					Position
LBAP PRIORITY HABITATS/S	PECIES PR	RESENT?			
Woodland			behal right	f of HMSO. ©	nission of Ordnance Survey on Crown Copyright and database s reserved. Ordnance Survey 0016400.
FULL DESCRIPTION OF SITE	(including t	copography, ac	djacent land	use, acces	ss and boundaries etc.):
This is a broadleaved woodland, p (Fagus sylvatica), many over 200					There are some fine Beech majority of the younger trees

(Fagus sylvatica), many over 200 years old and some mature oak (Quercus). The majority of the younger trees are Ash (Fraxinus excelsior) and Birch (Betula). Although the wood is mainly broadleaved, there are some scattered Scots Pine (Pinus sylvestris) (along the eastern boundary and near the canal), and a few widely scattered Larch (Larix). Mature Sycamore (Acer pseudoplatanoides) is infrequent, but advanced regeneration of the species is common in places. Beech and Ash seedlings are scattered throughout. A small pond is situated in the NE corner, and a public footpath passes through the wood, linking the roadway in the north to the canal towpath in the south. Some parts of the woodland are Alder (Alnus glutinosa) Wet Woodland. A small stream runs through the woodland in a north-west to south-east direction. The ground flora has been historically much depleted by grazing prior to 2001 but has now largely recovered as grazing has been excluded with locally abundant Bluebells (Hyacinthoides non-scripta), and frequent Yellow Pimpernel (Lysmiachia nemorum), Wood

Speedwell (Veronica montana) and Pignut (Conopodium majus) present amongst other ancient woodland

The wood lies to the east of the Mon-Brecon canal, and there are a number of small woods in the area. The agriculture in the area is mainly stock farming. The village of Goytre is less than 1 km to the west. The canal towpath borders much of the western side of the wood.

Woodland: 11 indicator species and 4 features (veteran trees, wet flush, pond and ditch)
Official Use Only: Site selected as a Wildlife Site/SINC? YES Y NO Date: 21/11/13

DETAILED SITE INFORMATION


	ERSHIP: Including names of a	y tenants/graziers Name(s)	
Name(s)			
Addresses			
Tel.no.		Mobile:	
10.110.		Woone.	
Please log all	l landowner/tenant contact star	ing from the initial permission for access to survey	
Date	Contact	Discussion subjects/decisions made	
Is/are the ov	wner(s) i) aware of the site's	nature conservation value? Yes Y No	
13/ are the ov	ii) managing the land		
	, ,		known
Describe the	access to the site:		
Through gat	e on to footpath off Park Y Brain	Lane.	
Λ .1	11' ' 1		
	y public rights of way on the sit lescribe their location:	Yes	
1			
PROW runs	along southern edge of wood fro	n Park Y Brain Lane to the Mon-Brec Canal.	
W/leat is the	current management at the site?	And there are threats to the site?	
		Are there any threats to the site?	
	the benefit of wildlife, particularly Grazing has been excluded and tree		
	retain dead wood whilst kee		
woodland saf			
Are there an	y invasive species present?	Are there any protected species present?	
Rhododendro by current ma	on used to present but has been eradic	Bat boxes are present in wood, but there occupar not known. Two Noctule Bat hibernation roosts	icy is
2, 301131111111	· ···· ()	known. Otter occur on immediately adjacent can	al and
		may use site.	

Please state the section(s) of the Wildlife Sites Guidance that this site qualifies under:

- H1) Woodlands over 14 indicator species/features and parts are semi-natural Wet Woodland.
- **S1)** Mammals Two known Noctule Bat hibernation roosts.
- **S2) Birds** (**contributory**) A number of species which qualify a site for LWS if breeding such as Marsh Tit and Lesser Spotted Woodpecker are regular on site but there is no confirmed breeding. Spotted Flycatcher a contributory species does breed however.

Is the site part of any grant schemes? Yes		x G	Grant Scheme:	End date
Does the site already have any designations?	Yes [No x Designation:	

Sketch map of site (including northpoint, scale and areas of the site of particular note):



Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown Copyright and database right 2005. All rights reserved. Ordnance Survey License number: 100016400.

Please list all additional survey information both past and present that relates to this site: CCW Phase 1, 1991.

OFFICE USE ONLY

Site no.: WS/SO30/28

Please note: The data on this form may be held in accordance with the Gwent Wildlife Trust's registration under the Data Protection Act 1996

SITE NAME: Goytre House Wood		Woodland Species			
Field Number –		Date – Spring 2011			
	D		D		D
Acer campestre (field maple)		Carex pallescens (pale sedge)		Potentilla erecta (tormentil)	3.7
Acer pseudoplananus (sycamore)	Y	Carex paniculata (Greater tussock sedge)		Potentilla reptans (creeping cinquefoil)	Y
Aesculus hippocastanum (horse	1	seage)		1 otentina reptans (erecping eniqueron)	
chestnut)		Carex pendula (pendulous sedge)		Potentilla sterilis (barren strawberry)	
Alnus glutinosa (alder)	LF	Carex remota (remote sedge)		Primula vulgaris (primrose)	
		Carex strigosa (thin-spiked wood-			
Betula pendula (silver birch)	Y	sedge)		Prunella vulgaris (self-heal)	
Datala and account (dament binds)		C	О	Ranunculus auricomus (goldilocks	
Betula pubescens (downy birch)		Carex sylvatica (wood sedge) Chrysosplenium alternifolium(a-lvd		buttercup)	Α
Carpinus betula (hornbeam)		gs)		Ranunculus ficaria (lesser celandine)	11
, , , , , , , , , , , , , , , , , , ,		Chrysosplenium oppositifolium(ot-	LF		Y
Castanea sativa (sweet chestnut)		lvd gs)		Ranunculus repens (creeping buttercup)	
		Circaea lutetiana (Enchanters	LF		
Corylus avellana (hazel)	Y	nightshade)	-	Rumex acetosa (common sorrel)	
Craetagus monogyna (hawthorn)		Conopodium majus (pignut)	F	Sanicula europaea (sanicle)	LF
Fagus sylvatica (beech)	Y	Convallaria majalis (lily-of-the-valley)		Scirpus sylvaticus (wood club-rush)	
Tagus syrvatica (beccii)	1	Corydalis claviculata (climbing		Scripus sylvaticus (wood ciub-iusii)	0
Fraxinus excelsior (ash)	Y	corydalis)		Scrophularia nodosa (figwort)	
Larix decidua (larch)	Y	Danthonia decumbens (heath grass)		Sedum telephium (orphine)	
Ilex aquifolium (holly)	-	Daphne laureola (spurge laurel)		Solidago virgaurea (goldenrod)	
Malus sylvestris (crab apple)		Daphne mezereon (mezeron)		Silene dioica (red campion)	Y
D' 1 (C (D')		Deschampsia caespitosa (tftd hair	F		Y
Pinus sylvestris (Scots Pine)	О	grass) Deshampsia flexuosa (wavy hair		Stachys sylvatica (hedge woundwort)	
Populus tremula (aspen)		grass)		Stellaria holostea (greater stitchwort)	
Topulas tremaia (aspen)		Dryopteris aemula(hay-scented		Stemana norostea (greater stremwort)	
Prunus avium (wild cherry)		buckler fern)		Stellaria neglecta (greater chickweed)	
Prunus padus (bird cherry)		Dryopteris affinis (scaly male fern)		Stellaria nemorum (wood stichwort)	
		Dryopteris dilatata (Broad buckler			
Prunus spinosa (blackthorn)		fern)		Taraxicum officinale agg.	3.7
Quercus petraea (sessile oak)		Dryopteris filix mas (male fern) Elymus caninus (bearded couch-		Urtica dioica (Stinging Nettle)	Y
Quercus robur (pedunculate oak)		grass)		Vaccinium myrtillus (Bilberry)	
Quereus robui (peduneulate oak)		Epipactis helleborine(broad-leaved		vaccinam myrimus (Bilberry)	
Rhamnus catharticus (buckthorn)		helleborine)			
,		Equisetum sylvaticum (wood			
Salix cinerea (Grey willow)		horsetail)		Valeriana dioica (marsh valerian)	
Salix caprea (Goat willow)		Euonymus europaeus (spindle)		Valeriana officinalis (common valerian)	
Carlana ania (adairahanan)		Euphorbia amygdaloides (wood		V	
Sorbus aria (whitebeam)		spurge) Euphorbia serratula (upright		Veronica beccabunga (brooklime) Veronica chamaedrys (germander.	L
Sorbus aucupaia (rowan)		spurge)		speedwell)	1.
(op ong of		Veronica hederacea (ivy leaved	
Sorbus torminalis (wild service)		Festuca gigantea (giant fescue)		speedwell)	
Taxus baccata (yew)		Filipendula ulmaria (meadowsweet)		Veronica montana (wood speedwell)	F
Tilia cordata (small-leaved lime)		Fragaria vesca (wild strawberry)		Veronica officinalis (heath speedwell)	
Tilia platyphyllos (Large leaved		Franciska almost (-1.4 - 1.41.4		Viola autratia - (d (-1)	
lime) Ulmus glabra (wych elm)		Frangula alnus (alder buckthorn) Galium aprarine (cleaver)	LF	Vicia sylvatica (wood vetch) Viola palustris (marsh violet)	
Carron Samora (wyen enin)		Sandin aprainic (cicaver)	1./1	Viola patustris (marsii violet) Viola reichenbachiana (wood dog	
		Galium odoratum (sweet woodruff)		violet)	
Cytisus scoparius (Broom)		Geranium robertianum (herb robert)	F	Viola riviniana (common dog violet)	F
				Wahlenbergia hederacea (ivy leaved	
Euonymus europaeus (spindle)		Geum rivale (water avens)		bellflower)	
How agnifoling (hally)	Y	Course unbanyon (mand arrest)	F	Rumex obtusifolius (Broad-leaved	Y
Ilex aquifolium (holly) Ligustrum vulgare (Privet)	1	Geum urbanum (wood avens) Glechoma hederacea (ground ivy)	F	Dock) Cardamine flexuosa (Wavy bitter-cress)	0
ingustrum vurgate (1 mvet)		Gymnocarpium dryopteris (oak	1.	Cardaninic ficauosa (wavy bitter-cress)	0
Lonicera periclymenum (honeysuckle)	F	fern)		Digitalis purpurea (Foxglove)	
		Helleborous viridis (green			Y
Pteridium aquilinium (bracken)	Y	hellebore)		Cirsium arvense (Creeping Thistle)	
Rhododendron ponticum			Y		О
(Rhododendron)		Heracleum sphondylium (hogweed)		Lotus corniculatus (Birdsfoot Trefoil)	
D'1 ' (D) 1			Ì	Stellaria alsine (Bog Stitchwort)	О
Ribes nigrum (Black currant)		Holcus lanatus (yorkshire fog)	0		3.7
Ribes nigrum (Black currant) Ribes rubrum (redcurrant)		Holcus mollis (creeping soft grass)	О	Ajuga reptans (Bugle)	Y
			О		O

		(bluebell)			
		Hypericum pulchrum (slender st.			
Rosa canina (dog rose)		johns wort)		Woodland Features:	
Rubus fruticosus (bramble)	LA	Hypericum androsaemum (tutsan)			
Sambucus nigra (Elder)	F	Hedera helix (ivy)	F	Hedgebanks	
Cornus sanguineus (dogwood)		Iris foetidissima (stinking iris)		Ditches	
		Lamiastrum galeobdolon (yellow			
Ulex europaeus (Gorse)		archangel)		Ponds	
Vaccinium myrtillus (bilberry)		Lathraea squamaria (toothwort)		Active Badger setts	
Viburnum opulus (guelder rose)		Lathyrus linifolius (Bitter-vetch)		Wet flushes	
1		Lathyrus sylvestris (narrow-leaved			
Visum album (mistletoe)		everlasting sweetpea)		Sunken lane	
Aconitum napellus (Monkshood)		Listera ovata (tway-blade orchid)		Veteran trees	
,		Luzula forsteri (southern			
Adoxa moschatellina (moschatel)		woodrush)		Dry stone walls	
Aegopodium podararia (ground elder)		Luzula pilosa (hairy woodrush)			
Aira praecox (early hair-grass)		Luzula sylvatica (great woodrush)		Fauna seen or evidence of recorded:	
This praceon (early han grace)		Lysimachia nemorum (yellow	F		
Alliaria petiolata (garlic mustard)		pimpernel)	1	As it is a Gwent Ornithological Society	
peromin (garne musime)		Melampyrum pratense (common		reserve a good number of bird species	
Allium ursinum (ramsons)		cow-wheat)		have been recorded. The most	
Anemone nemorosa (wood		- cow-wifeaty		significant being as follows:	
anemone)	F	Melica uniflora (wood mellick)		- 0 2 8 10 10	
	1	Melittis melissophyllum (bastard			
Angelica sylvestris (wild angelica)	Y	balm)		Lesser Spotted Woodpecker	
Anthoxanthum odoratum(sweet	-	Mercurialis perennis (dog's			
vernal grass)		mercury)		Spotted Flycatcher (breeding)	
Anthriscus sylvestris (cow parsley)		Milium effusum (wood millet)		Marsh Tit	
Antimiscus sylvestris (cow parsiey)		Moehringia trinervum (3-nerved		Marsh 11t	
Aquilega vulgaris (columbine)		sandwort)		Pied Flycatcher (breeding)	
Aquilega vulgaris (columbine)		Monotropa hypopitis (yellow birds		Fled Plycatcher (breeding)	
Arctium minus (Lesser burdock)		nest)		Hobby	
Arctium minus (Lesser burdock)		Narcissus pseudonarcissus (wild		Otter occur on adjacent canal and may	
Arum maculatum (lords and ladies)	0	daffodill)		use site	
Asplenium scolopendrium	0	Neottia nidus-avis (bird's nest		use site	
(hartstounge fern)		orchid)		Noctule Bat roosts known to be present.	
(nartstounge tern)		Oenanthe crocata (hemlock water-		rvoctule Bat 100sts known to be present.	
Betonica offincinalis (betony)		dropwort)			
Detolica officialis (betony)		Orchis mascula (early purple-			
Blechnum spicant (hard fern)		orchid)			
Brachypodium sylvaticum (false		oreinu)	0		
brome)		Oxalis acetosella (wood sorrel)	U		
/	17	` /			
Bromus ramosus (hairy brome)	Y	Paris quadrifolia (herb-Paris)			
Calamagrostis epigejos (Wood		Diantago langoolata (gibayo at alantair)			
reed)		Plantago lanceolata (ribwort plantain)			
Callyma yaylaania (bt)		Platanthera chlorantha (greater			
Calluna vulgaris (heather)		butterfly orchid)			
Campanula latifolia (Giant		Poa nemoralis (wood meadow			
Bellflower) Campanula patula (spreading		grass) Polygonatum multiflorum			
bellflower)		(solomon's seal)			
Campanula trachelium (nettle-		Polypodium vulgare (polypody			
leaved bellflower)		fern)			
Contonio antoni (1 C)	37	Polystichum aculeatum (hard			
Cardamine pratensis (cuckoo flower)	Y	shield fern)			
Com Matter Co. 1 1 1		Polystichum setiferum (soft shield			
Carex digitata (fingered sedge)		fern)			
Carex laevigata (smooth-stalked		D-4411			
sedge)		Potentilla anserina (silverweed)			

Key to colour coding of woodland species list

Species in **Bold** equals indicator species.

Species in **Bold and underlined** equals a species from the contributory species list.

Species in *red italics* equals a species from the primary species list.