SINC Recording Form

SITE SUMMARY

SITE NAME:	Grange Park	(LDP Potential)	Village site F	PV02)			
GRID REF: SIZE (approx.): DATE OF SUF		05/2010		SURV	EYOR(S):	Vilas Anthwal	
LOCAL AUTH Monmouthshire	IORITY AR	EA:	SOIL ' GEOI				
WARD: St Arv	ans		SLOPI	E:		HEIGHT IN M:	120-125
MAIN HABIT	AT TYPES I	PRESENT:	_	S	KETCH MA	P OF SITES LOCA	TION:
Habitat types Lowland mixed deci Wet woodland	iduous	NVC type	Area (ha) 0.57 0.1		Aria 000033		2
LBAP PRIORI Lowland woodland Rivers & streams H	HAP	ATS/SPECIES	S PRESEN	T			

FULL DESCRIPTION OF SITE (including topography, adjacent land use, boundaries etc.):

Steep-sided wooded stream valley surrounded by housing to the south and was and grazed pasture to the north and west. The site includes an unmodified stream that runs north to south through the centre of the site and includes a small waterfall (Approx. 1m vertical drop) and locally abundant liverworts. High canopy woodland dominates this site that rises to the north. The woodland is fairly mature with a mix of broadleaved species and occasional yew showing some signs of regeneration. The understorey is well

developed and in places is dense, elsewhere is more sparse and a lush field layer and ground cover is present. The ground flora includes *Allium ursinum*, *Anemone nemorosa*, *Hyacinthoides non-scripta*, *Polystichum setiferum*, *Lamiastrum galeobdolon*, *Mercurialis perennis* and a number of other typical fens and woodland flora.

The canopy is not dominated by any single species and includes *Quercus robur*, *Acer pseudoplatanus*, *Aesculus hippocastanum*, *Fagus sylvatica*, *Fraxinus excelsior*, *Taxus baccata* and *Castanea sativa*. The understorey comprises *Corylus avellana*, *Crataegus monogyna*, *Lonicera periclymenum*, *Hedera helix*, *Ribes uva-crispa* and *Ribes nigra*.

The south of the site opens out and the ground is more level that the northern half. Here the wet influence of the stream dominates and alder is present in the canopy. Although the survey was conducted on a cool day in early May it was noted that there was a relatively high level of invertebrate activity and the site is likely to be a valuable resource to insectivorous species. Several birds were seen including robin, wren, crow, great tit, and black bird.

Official Use Only: Site selected as a Wildlife Site/SINC? YES X NO Date: 15/07/2010

DETAILED SITE INFORMATION

SITE OWNERSHIP: Including names of any tenants/graziers

Name(s)		
Address		
Tel.no.		Mobile:
D1 1	11 1 1 /	
		t starting from the initial permission for access to survey
Date	Contact	Discussion subjects/decisions made

Is/are the owner(s)	i) aware of the site's nature conservation value?	Yes	No]	
	ii) managing the land sympathetically?	Yes	No		
	iii) willing to manage the land sympathetically?	Yes	No	Unknown	

Describe the access to the site:

Park to the south of the site on Grange Park.

Are there any public rights of way on the site? If so please describe their location:

No

What is the current management at the site?

No evidence of recent management. Some non-native garden flora towards the eastern boundary.

Are there any threats to the site?

Yes, LDP Potential Village site PV02

Are there any invasive species present?

Unknown


Are there any protected species present?

Unknown

Please state the section(s) of the Wildlife Site Guidelines that this site qualifies under
--

	H1 Woodland (Potentially S9 liverworts, dormouse and bats)
	Is the site part of any grant schemes? Yes No Grant Scheme:End date:End date:
-	Does the site aready have any designations? Tes [No] Designation

Phase one map of site:



Please list all additional survey information both past and present that relates to this site:

LDP ecological assessment of village sites 2010 ref: PV02

OFFICE USE ONLY

Site no.:

Please note: The data on this form may be held in accordance with the Monmouthshire County Council's registration under the Data Protection Act 1996

SITE NAME:

DATE:

SITE NAME:		D			D	DATE:		D
Acer campestre (field maple)			Campanula trachelium(ntl-lvd bellflower)		D	Primula vulgaris (primrose)	Т	
Acer pseuoplananus (sycamore)	~		Cardamine pratensis (cuckoo flower)	~	0	Prunella vulgaris (self-heal)	+	<u> </u>
Acer pseuopiananus (sycaniore) Aesculus hippocastanum (horse	~	F	Cardannie pratensis (cuckoo nower)	~	0	Ranunculus auricomus (gldlks	+	<u> </u>
chestnut)			Carex laevigata (smooth-stalked sedge)			buttercup)		
Alnus glutinosa (alder)			Carex pallescens (pale sedge)			Ranunculus ficaria (lesser celendine)	✓	O/LA
Betual pendula (silver birch)			Carex pendula (pendulous sedge)			Rumex acetosa (common sorrel)	-	0/1/1
Castanea sativa (sweet chestnut)	~	F	Carex remota (distant sedge)			Sanicula europaea (sanicle)		ł
Corylus avellana (hazel)	v √	F	Carex strigosa (thin-spiked wood-sedge)			Scirpus sylvaticus (wood club-rush)		<u> </u>
	v √	-	Carex sylvatica (wood sedge)			Scrophularia nodosa (figwort)	-	
Craetagus monogyna (hawthorn)		0				Scrophulana nodosa (ngwort) Silene dioica (red campion)	~	╞────
Fagus sylvatica (beech) Fraxinus excelsior (ash)	✓ 	F	Chrysosplenium alternifolium(a-lvd gs)				~	<u> </u>
Larix decidua (larch)	✓	F	Chrysosplenium oppositifolium(ot-lvd gs) Conopodium majus (pignut)			Stachys sylvatica (hedge woundwort) Stellaria holostea (greater stichwort)		<u> </u>
			1 , 48 ,					<u> </u>
Malus sylvestris (crab apple)			Convallaria majalis (lily-of-the-valley)			Stellaria neglecta (greater chickweed)		
Pinus sylvestris (Scots Pine)			Corydalis claviculata (climbing corydalis)			Stellaria nemorum (wood stichwort)		
Populus tremula (aspen)			Danthonia decumbens (heath grass)			Taraxacum officianle (dandelion)		Ļ
Prunus avium (wild cherry)			Daphne laureola (spurge laurel)			Valeriana dioica (marsh valerian)		
			\mathbf{D} ()			Valeriana officinalis (common		
Prunus padus (bird cherry)			Daphne mezereon (mezeron)			valerian)		
Prunus spinosa (blackthorn)			Deschampsia caespitosa (tftd hair grass)			Veronica beccabunga (brooklime)		
Outomatic materia (appaile aply)			Dechampeie flowson (wary hair arres)			Veronica chamaedrys (gemdr.		
Quercus petraea (sessile oak) Quercus robur (pendunculate			Deshampsia flexuosa (wavy hair grass)			speedwell) Veronica hederacea (ivy leaved	+	<u> </u>
oak)	~	٨	Dryopteris aemula(hay-scented bcklr fern)			sppedwell)		1
Rhamnus catharticus (buckthorn)	Ť	А	Dryopteris affinis (scaly male fern)	~	R	Veronica montana (wood speedwell)	+	
Sorbus aria (whitebeam)	<u> </u>		Elymus caninus (bearded couch-grass)	*	К	Vicia sylvatica (wood vetch)	+	<u> </u>
(wincocalli)			Epipactis helleborine(b-leaved			Viola reichenbachiana (pale dog	+	<u> </u>
Sorbus aucupaia (rowan)			helleborine)			viola referendacinaria (pare dog		
Sorbus torminalis (wild service)			Equisetum sylvaticum (wood horsetail)			Viola riviniana (common dog violet)	-	
Taxus baccata (yew)	~	0	Euonymus europaeus (spindle)			viola ilvillaria (common dog violet)		<u> </u>
Tilia cordata (small-leaved lime)	v	0	Euphorbia amygdaloides (wood spurge)			Deventoria dilitata	✓	0
			Festuca gigantea (giant fescue)			Dryopteris dilitata	▼ ✓	0
Ulmus glabra (wych elm)			Filipendula ulmaria (meadowsweet)			Dryopteris filix-mas	✓ ✓	-
						Athyrium filix-femina		0
			Fragaria vesca (wild strawberry)			Pteridium aquilinium	✓	0
			Frangula alnus (alder buckthorn)					
			Galium aprarine (cleaver)				_	
			Galium odoratum (sweet woodruff)				_	
			Geranium robertianum (herb robert)				_	
			Geum rivale (water avens)					
			Glechoma hederacea (ground ivy)					
			Gymnocarpium dryopteris (oak fern)					Ļ
			Heracleum sphondylium (hogweed)					L
			Holcus lanatus (yorkshire fog)					
Euonymus europaeus (spindle)			Holcus mollis (creeping soft grass)					
Ilex aquifolium (holly)	~	0	Hyacinthoides non-scripta (bluebell)	~	O/LF			
Lonicera periclymenum								
(honeysuckele)	✓	0	Hypericum androsaemum (tutsan)					
Pteridium aquilinium (bracken)			Hedera helix (ivy)					
Ribes rubrum (redcurrant)			Iris foetidissima (stinking iris)					
Rosa arvensis (field rose)			Lamiastrum galeobdolon (yllw archangel)	~	F			
Rosa canina (dog rose)			Lathraea squamaria (toothwort)					
Rubus fruticosus (bramble)	~	F	Listera ovata (tway-blade orchid)					
Thelycrania sanguinea								1
(dogwood)			Luzula forsteri (southern woodrush)					<u> </u>
Vaccinium myrtillus (bilberry)			Luzula pilosa (hairy woodrush)					
Viburnum opulus (guelder rose)			Luzula sylvatica (great woodrush)					
Visum album (mistletoe)			Lysimachia nemorum (yellow pimpernel)					
			Melampyrum pratense (cmn cow-wheat)					
Ribes uva-crispa	~	R	Melica uniflora (wood mellick)					
Ribes nigra	~	R	Melittis melissophyllum (bastard balm)					
			Mercurialis perennis (dog's mercury)	~	F/LA			
			Milium effusum (wood millet)		*			
			Moehringia trinervum (3-nerved					
	1	1	sandwort)					1
			Narcissus pseudonarcissus (wild daffodill)				1	
			Narcissus pseudonarcissus (wild daffodill)					

Aegopodium podararia (ground elder)			Orchis mascula (early purple-orchid)			
Aira praecox (early hair-grass)			Oxalis acetosella (wood sorrel)			Fauna seen or evidence of recorded :
Alliaria petiolata (garlic mustard)			Paris quadrifolia (herb-Paris)			
Allium ursinum (ramsons)	~	F/LA	Plantago lanceolata (ribwort plantain)			
Anemone nemorosa (wood anemone)	~	0	Platanthera chlorantha (g butterfly orchid)			
Angelica sylvestris (wild angelica)			Poa nemoralis (wood meadow grass)			
Anthoxanthum odoratum(sweet vnl grass)			Polygonatum multiflorum (solomon's seal)			
Anthriscus sylvestris (cow parsley)	~	F	Polystichum aculeatum (hard shield fern)			
Aquilega vulgaris (columbine)			Polystichum setiferum (soft shield fern)	~	0	
Arum maculatum (lords and ladies)			Potentilla anserina (silverweed)			
Asplenium scolopendrium (hartstnge fern)	~	0	Potentilla erecta (tormentil)			
Blechnum spicant (hard fern)			Potentilla reptans (creeping cinquefoil)			
Bromus ramosus (hairy brome)			Potentilla sterilis (barren strawberry)			