

SINC Recording Form

SITE SUMMARY

SITE NAME:

GRID REF: SURVEYOR(S):

SIZE (approx.): 1.62ha

DATE OF SURVEY: 18/06/2010

LOCAL AUTHORITY AREA: SOIL TYPE:


GEOLOGY:

WARD: SLOPE: HEIGHT IN M:

MAIN HABITAT TYPES PRESENT:

Habitat types	NVC type	Area (ha)
Neutral grassland	MG5a	0.7
Species-rich hedgerows		

SKETCH MAP OF SITES LOCATION:



LBAP PRIORITY HABITATS/SPECIES PRESENT

Species Rich Grassland
Boundary and Linear Features

FULL DESCRIPTION OF SITE (including topography, adjacent land use, boundaries etc.):

The site is a single field located on the western edge of Penallt. The field slopes downwards to the east. It is unimproved neutral hay meadow, which is apparently ungrazed. It is bounded on its north-west and south-east sides by species rich hedgerows. Species present in the hedges include *Prunus spinosa*, *Crataegus monogyna*, *Ilex aquifolium*, *Acer campestre* and *Cornus sanguinea*.

The field is a good example of MG5a hay meadow. It has a herb-rich, open sward with abundant *Agrostis tenuis*, *Anthoxanthum odoratum*, *Festuca rubra* and small proportions of *Cynosurus cristatus*, *Dactylis glomerata* and *Holcus lanatus*. The rich herb component includes abundant *Centaurea nigra*, *Lotus corniculatus*, *Leontodon hispidus* and frequent *Hypochoeris radicata*, *Lathyrus pratensis* and *Leucanthemum vulgare*. Single plants of *Orchis morio* and *Dactylorhiza fuchsia* are present.

11 indicator species are present, of which 8 are abundant or frequent. The site easily meets the H4 criteria for a SINC based on both on its community type and its species richness.

The hedgerows on the east and west sides of the field are species-rich and include *Prunus spinosa*, *Rosa canina*, *Corylus avellana*, *Sambucus nigra*, *Acer pseudoplatanus*, *Fraxinus excelsior*, *Salix cinerea* and *Ilex aquifolium*.

Official Use Only: Site selected as a Wildlife Site/SINC? YES NO Date: 15/07/2010

DETAILED SITE INFORMATION

SITE OWNERSHIP: Including names of any tenants/graziers

Name(s)		
Address		
Tel.no.		Mobile:

Please log all landowner/tenant contact starting from the initial permission for access to survey

Date	Contact	Discussion subjects/decisions made

Is/are the owner(s)

i) aware of the site's nature conservation value?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
ii) managing the land sympathetically?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	
iii) willing to manage the land sympathetically?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Unknown <input type="checkbox"/>

Describe the access to the site:

Access is via field gate by the side of the road. There is parking room for one car in the gateway.

Are there any public rights of way on the site?

No

If so please describe their location:

What is the current management at the site?

Does not appear to be managed. Sward is long and there is no evidence of recent grazing. There is thatch present under the sward indicating that if mown the arisings have not been removed.

Are there any threats to the site?

Yes, LDP Potential Village site PV26

Are there any invasive species present?

Unknown

Are there any protected species present?

Unknown


Please state the section(s) of the Wildlife Site Guidelines that this site qualifies under:

H4 neutral grassland
H17 Hedgerows

Is the site part of any grant schemes? Yes No Grant Scheme:.....End date:.....

Does the site already have any designations? Yes No Designation:.....

Phase one map of site:



Please list all additional survey information both past and present that relates to this site:

LDP ecological assessment of village sites 2010 ref: PV26

OFFICE USE ONLY

Site no.:

Please note: The data on this form may be held in accordance with the Monmouthshire County Council's registration under the Data Protection Act 1996

SITE NAME:

FIELD NUMBER:

DATE:

	D		D		D			
Agrostis tenuis (common bent)	✓	A	Conopodium majus (pignut)		Primula veris (cowslip)			
Agrostis stolonifera (creeping bent)			Crepis capillaris (smooth hawks-beard)	✓	F	Prunella vulgaris (self-heal)	✓	O
Aira praecox (early hair-grass)			Crepis biennis (rough hawks-beard)			Pteridium aquilinum (bracken)	✓	LD
Alopecurus geniculatus (marsh foxtail)			Dactylorhiza fuchsii (c. spotted orchid)	✓	R	Pulicaria dysenterica (fleabane)		
Alopecurus pratensis (meadow foxtail)			Dactylorhiza praetermissa (s.msh orchid)			Ranunculus acris (meadow buttercup)	✓	F
Anthoxanthum odoratum (sweet vnl grass)	✓	A	Daucus carota (wild carrot)			Ranunculus auricomus (gldlcks buttercup)		
Arrhenatherum elatius (false oat grass)	✓	O	Equisetum arvense (field horsetail)			Ranunculus bulbosus (bulbous buttercup)	✓	O
Brachypodium pinnatum (tor grass)			Erica cinerea (bell-heather)			Ranunculus flammula (lesser spearwort)		
Briza media (quaking grass)			Erica tetralix (cross-leaved heath)			Ranunculus repens (creeping buttercup)	✓	O
Bromopsis erecta (upright brome)			Eupatorium cannabinum (hemp-agrimony)			Rhinanthus minor (yellow rattle)		
Bromus commutatus (meadow brome)			Euphorbia amygdaloides (wood spurge)			Rubus fruticosus (bramble)		
Bromus racemosus (smooth brome)			Euphrasia officinalis agg. (eyebright)			Rumex acetosa (common sorrel)	✓	O
Cynosurus cristatus (crested dog's tail)	✓	O	Filipendula ulmaria (meadowsweet)			Rumex acetosella (sheeps sorrel)		
Dactylis glomerata (cocks foot)	✓	O	Fragaria vesca (wild strawberry)			Sanguisorba minor (salad burnet)		
Danthonia decumbens (heath grass)			Galium odoratum (sweet woodruff)			Scabiosa columbaria (small scabious)		
Deschampsia caespitosa (tftd hair grass)			Galium palustre (marsh-bedstraw)			Scrophularia nodosa (figwort)		
Deschampsia flexuosa (wavy hair-grass)			Galium saxatile (heath bedstraw)			Senecio aquaticus (marsh ragwort)		
Eriophorum angustifolium (cmn ctngrass)			Galium verum (lady's bedstraw)			Senecio jacobea (ragwort)		
Festuca ovina (sheep's fescue)			Genista tinctoria (dyers greenweed)			Silaum silaus (pepper-saxifrage)		
Festuca rubra (red fescue)	✓	A	Geranium pratense (meadow cranes bill)			Stachys officinalis (betony)		
Glyceria fluitans (floating sweet-grass)			Geranium robertianum (herb robert)			Stachys palustris (marsh woundwort)		
Helictotrichon pratense (mdw oat-grass)			Glechoma hederacea (ground ivy)			Stachys sylvatica (hedge woundwort)		
Holcus lunatus (yorkshire fog)	✓	F	Helianthemum nummularium (rock-rose)			Stellaria graminea (lesser stichwort)		
Holcus mollis (creeping soft grass)	✓	LF	Heracleum sphondylium (hogweed)	✓	O	Stellaria holostea (greater stichwort)		
Lolium perenne (perennial rye grass)	✓	O	Hyacinthoides non-scripta (bluebell)			Succisa pratensis (devils bit-scabious)		
Milium effusum (wood millet)			Hypericum maculatum (imp StJohns-Wort)			Taraxacum officinale (dandelion)		
Melica uniflora (wood mellick)			Hypericum perforatum (pf St Johns-Wort)			Thymus polytrichus (wild thyme)		
Molinia caerulea (purple moor-grass)			Hypericum tetrapterum (sq.sd StJns-Wort)			Trifolium medium (zig zag clover)		
Nardus stricta (mat grass)			Hypochoeris glabra (smooth cats ear)			Trifolium pratense (red clover)	✓	F
Phalaris arundinacea (reed canary grass)			Hypochoeris radicata (common cats ear)	✓	F	Trifolium repens (white clover)	✓	R
Phleum pratense (timothy grass)			Jasione montana (sheep's bit)			Tragopogon pratensis (goat's-beard)		
Poa annua (annual meadow grass)			Juncus acutiflorus (sharp-flowered rush)			Vaccinium myrtillus (bilberry)		
Poa trivialis (rough meadow grass)			Juncus articulatus (jointed rush)			Valeriana dioica (marsh valerian)		
Trisetum flavescens (yellow oat grass)			Juncus conglomeratus (compact rush)			Valeriana officinalis (common valerian)		
Achillea millefolium (yarrow)			Juncus effusus (soft rush)			Veronica beccabunga (brooklime)		
Achillea ptarmica (sneezewort)			Juncus inflexus (hard rush)			Veronica chamaedrys (gemdr. speedwell)		
Agrimonia eupatoria (agrimony)			Juncus squarrosus (heath rush)			Vicia cracca (tufted vetch)	✓	LF
Ajuga reptans (bugle)			Juncus subnodulosus (blunt-flowerd rush)			Vicia sativa (common vetch)		
Alchemilla filicaulis (Lady's mantle)			Knautia arvensis (field scabious)			Vicia sepium (bush vetch)		
Alliaria petiolata (garlic mustard)			Lamium galeobdolon (yellow archangel)			Viola canina (heath dog-violet)		
Allium ursinum (ramsons)			Lathyrus nissolia (grass vetchling)			Viola reichenbachiana (pale dog-violet)		
Anemone nemorosa (wood anemone)			Lathyrus pratensis (meadow vetchling)	✓	LF	Viola riviniana (common dog violet)		
Angelica sylvestris (wild angelica)			Leontodon autumnalis (autumn hawkbit)			Wahlenbergia hederacea (ivy-lvd bl-flower)		
Blackstonia perfoliata (yellow-wort)			Leontodon hispidus (rough hawkbit)	✓	A			
Calluna vulgaris (ling heather)			Leontodon saxatilis (lesser hawkbit)			Trifolium dubium	✓	R
Caltha palustris (marsh marigold)			Leucanthemum vulgare (oxeye daisy)	✓	LF	Chamerion angustifolium	✓	LA
Campanula rotundiflora (harebell)			Linum catharticum (fairly flax)			Orchis morio (only seed head present for ID)	✓	R
Campanula trachelium (net-lvd bellflower)			Listera ovata (tway-blade orchid)					
Cardamine pratensis (cuckoo flower)			Lotus corniculatus (birds-foot trefoil)	✓	A			
Carex caryophyllea (spring sedge)			Lotus uliginosus (greater birds-foot trefoil)					
Carex disticha (brown sedge)			Luzula campestris (field wood rush)					
Carex divulsa (grey sedge)			Luzula multiflora (heath wood-rush)					
Carex echinata (star sedge)			Lychnis flos-cuculi (ragged robin)					
Carex flacca (glaucous sedge)			Melampyrum pratense (cow-wheat)					
Carex nigra (common sedge)			Mentha aquatica (water mint)					
Carex ovalis (oval sedge)			Mercurialis perennis (dog's-mercury)					
Carex panicea (carnation sedge)			Myosotis arvensis (field forget-me-not)					
Carex pendula (pendulous sedge)			Narcissus pseudonarcissus (wild daffodill)					
Carex remota (distant sedge)			Oenanthe crocata (hmlck water-dropwort)					
Carex riparia (greater pond-sedge)			Ononis repens (common restharrow)					
Carex rostrata (bottle sedge)			Ophrys apifera (bee orchid)			Fauna recorded during survey:		
Carex spicata (spiked sedge)			Orchis mascula (early purple orchid)					
Carex sylvatica (wood sedge)			Orchis morio (green-winged orchid)					
Centaurea nigra (common knapweed)	✓	A	Pilosella officinarum (mse-ear hawkweed)					

Centaurea scabiosa (greater knapweed)			Pimpinella saxifraga (burnet saxifrage)		
Centaureum erythraea (cmmn centuary)			Plantago lanceolata (ribwort plantain)	✓	F
Cerastium holosteoides(cmn. mouse-ear)	✓	O	Polygala serpyllifolia (heath milkwort)		
Chrysosplenium oppositifolium (op.l.gsxfg)			Polygala vulgaris (common milkwort)		
Cirsium arvense (creeping thistle)			Potentilla anserina (silverweed)		
Cirsium dissectum (meadow thistle)			Potentilla erecta (tormentil)		
Cirsium palustre (marsh thistle)			Potentilla reptans (creeping cinquefoil)		
Cirsium vulgare (spear thistle)			Potentilla sterilis (barren strawberry)		