

Gwent Wildlife Site/SINC Notification Form

SITE SUMMARY

SITE NAME:

GRID REF:

S	O	4	9	6	0	8	0
---	---	---	---	---	---	---	---

SURVEYOR(S):

SIZE (approx.):

DATE OF SURVEY:

LOCAL AUTHORITY AREA:


WARD:

MAIN HABITAT TYPES PRESENT:

Habitat types	NVC type	Area (ha)
Species Rich Grassland		

LBAP PRIORITY HABITATS/SPECIES PRESENT?

SKETCH MAP OF SITES LOCATION:



Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown Copyright and database right 2005. All rights reserved. Ordnance Survey License number: 100016400.

FULL DESCRIPTION OF SITE (including topography, adjacent land use, access and boundaries etc.):

Species Rich Neutral Grassland:
The site consists of a horse grazed field divided in half by electric fencing running from east to west. The northern half is currently grazed by 2 horses (Field 1) and the southern half is ungrazed (Field 2). The horse grazed section is grazed low, however there are taller swards still present. This half is not as species rich (11 indicator species present): Yellow Rattle, Bird's-foot Trefoil, Common Knapweed, Meadow Vetchling, Tufted Vetch, Lesser Stitchwort, Red Clover, Rough Hawkbit, Imperforate St John's Wort, Field Scabious and Common Cat's ear.

The ungrazed half of the field has abundant Common Knapweed and a good species mix (14 indicator species) particularly in the south and south-east ends. Other indicator species include Yellow Rattle, Bird's-foot Trefoil, Meadow Vetchling, Tufted Vetch, Lesser Stitchwort, Red Clover, Rough Hawkbit, Common Cat's ear, Imperforate St John's Wort, Field Scabious, Common Spotted Orchid, Pignut and Eyebright sp.

Bracken, Bramble and Himalayan balsam could potentially invade the grassland.

Topography & Boundaries- southerly aspect with a gentle slope down to broad-leaved woodland at the south. The rest of the field is bound by broad-leaved woodland to the west and intact hedegrows with trees from the north west to north east corner. A road runs along the eastern edge with a low intact hedge.

Access - The field can be accessed via a public footpath running alongside Gockett House to the south of The Gockett.

Adjacent land-use - to the south and west is broad-leaved woodland and to the north and east are semi-improved grasslands

Official Use Only: Site selected as a Wildlife Site/SINC? YES NO Date: 22/10/13

DETAILED SITE INFORMATION

SITE OWNERSHIP: Including names of any tenants/graziers Name(s)

Name(s)			
Addresses			
Tel.no.		Mobile:	

Please log all landowner/tenant contact starting from the initial permission for access to survey

Date	Contact	Discussion subjects/decisions made

Is/are the owner(s)	i) aware of the site's nature conservation value?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	Unknown <input type="checkbox"/>
	ii) managing the land sympathetically?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	
	iii) willing to manage the land sympathetically?	Yes	<input type="checkbox"/>	No	<input type="checkbox"/>	

Describe the access to the site:

The site has a public footpath running along the south of the site which is accessed next to Gockett House a little way down the road to the south. The grassland itself has an intact hedgerow along part of the roadside and is fenced off from the house's garden.

Are there any public rights of way on the site?

Yes

If so please describe their location:

Running along from the south-west corner along the southern edge and into the adjacent woodlands

What is the current management at the site?

It has been cut once a year for hay and was chain harrowed 2 years ago which greatly increased wildflower diversity. The owners have had 2 horses for a year which have been grazing strips of the field at a time using electric fencing. They are currently grazing half of the field.

Are there any threats to the site?

Encroaching Bracken, Bramble & Himalayan Balsam along the field margins.

Are there any invasive species present?

Himalayan Balsam

Are there any protected species present?


Please state the section(s) of the Wildlife Sites Guidance that this site qualifies under:

H4) Neutral Grasslands - over 8 indicator species

Is the site part of any grant schemes? Yes No Grant Scheme:.....End date.....

Does the site already have any designations? Yes No Designation:.....

Sketch map of site (including northpoint, scale and areas of the site of particular note):



Please list all additional survey information both past and present that relates to this site:
CCW Phase 1, 1991.

OFFICE USE ONLY

Site no.: WS/SO40/65

Please note: The data on this form may be held in accordance with the Gwent Wildlife Trust's registration under the Data Protection Act 1996

SITE NAME: The Gockett

FIELD NUMBER: 1

DATE:

30/7/2013

	D		D		D
Agrostis tenuis (Common Bent)	LF	Conopodium majus (Pignut)		Prunella vulgaris (Self-heal)	
Agrostis stolonifera (Creeping Bent)		Crepis capillaris (Smooth Hawks-beard)		Pteridium aquilinum (Bracken)	
Aira praecox (Early Hair-grass)		Crepis biennis (Rough Hawks-beard)		Pulicaria dysenterica (Fleabane)	
Alopecurus geniculatus (Marsh Foxtail)		Dactylorhiza fuchsii (C. Spotted Orchid)		Ranunculus acris (Meadow Buttercup)	
Alopecurus pratensis (Meadow Foxtail)		Dactylorhiza praetermissa (S.Msh Orchid)		<u>Ranunculus auricomus (Gldlcks Buttercup)</u>	
Anthoxanthum odoratum (Sweet Vnl Grass)	F	Daucus carota (Wild Carrot)		Ranunculus bulbosus (Bulbous Buttercup)	
Arrhenatherum elatius (False Oat-grass)	O/VLF	Equisetum arvense (Field Horsetail)		Ranunculus flammula (Lesser Spearwort)	
Brachypodium pinnatum (Tor Grass)		Erica cinerea (Bell Heather)		Ranunculus repens (Creeping Buttercup)	
Briza media (Quaking Grass)		Erica tetralix (Cross-leaved Heather)		Rhinanthus minor (Yellow Rattle)	
Bromopsis erecta (Upright Brome)		Eupatorium cannabinum (Hemp-agrimony)		Rubus fruticosus (Bramble)	
Bromus commutatus (Meadow Brome)		Dactylorhiza fuchsia (c.spotted orchid)		Potentilla erecta (tormentil)	
Bromus racemosus (Smooth Brome)		Dactylorhiza praetermissa (s.marsh orchid)		Potentilla reptans (creeping cinquefoil)	VL
Cynosurus cristatus (Crested Dog's-tail)	O	Daucus carota (wild carrot)		Potentilla sterilis (barrent strawberry)	
Dactylis glomerata (Cock's Foot)	VO	Equisetum arvense (field horsetail)		Primula veris (cowslip)	
Danthonia decumbens (Heath Grass)		Erica cinerea (bell-heather)		Prunella vulgaris (self heal)	O
Deschampsia caespitosa (Tftd Hair-grass)		Erica tetralix (cross-leaved heath)		Pteridium aquilinum (bracken)	VLA
Deschampsia flexuosa (Wavy Hair-grass)		Eupatorium cannabinum (hemp agrimony)		Pulicaria dysenterica (fleabane)	
Eriophorum angustifolium (Cmn Cottongrass)		Euphorbia amygdaloides (Wood Spurge)		Ranunculus acris (meadow buttercup)	O
Festuca ovina (Sheep's Fescue)		Euphrasia officinalis agg. (Eyebright)		Ranunculus auricomus (gldlcks buttercup)	
Festuca rubra (Red Fescue)		Filipendula ulmaria (Meadowsweet)		Ranunculus bulbosus (Bulbous buttercup)	
Glyceria fluitans (Floating Sweet-grass)		Fragaria vesca (Wild Strawberry)		Ranunculus flammula (lesser spearwort)	
Helictotrichon pratense (Mdw Oat-grass)		Galium odoratum (Sweet Woodruff)		Ranunculus repens (creeping buttercup)	O/VLF
Holcus lanatus (Yorkshire Fog)	F	Galium palustre (Marsh Bedstraw)		Rhinanthus minor (yellow rattle)	LF
Holcus mollis (Creeping Soft Grass)		Galium saxatile (Heath Bedstraw)	O/VLF	Rubus fruticosus (bramble)	VO
Lolium perenne (Perennial Rye-grass)		Galium verum (Lady's Bedstraw)		Rumex acetosa (Common Sorrel)	O
Milium effusum (Wood Millet)		Genista tinctoria (Dyers Greenweed)		Rumex obtusifolius (Broad-leaved Dock)	
Melica uniflora (Wood Mellick)		Geranium pratense (Meadow Cranesbill)		Sanguisorba minor (Salad Burnet)	
Molinia caerulea (Purple Moor-grass)		Geranium robertianum (Herb Robert)		Scabiosa columbaria (Small Scabious)	
Nardus stricta (Mat Grass)		Glechoma hederacea (Ground Ivy)	VL	Scrophularia nodosa (Figwort)	
Phalaris arundinacea (Reed Canary-grass)		Helianthemum nummularium (Rock-rose)		Senecio aquaticus (Marsh Ragwort)	
Phleum pratense (Timothy Grass)		Heracleum sphondylium (Hogweed)	VO	Senecio jacobea (Ragwort)	
Poa annua (Annual Meadow-grass)		Hyacinthoides non-scripta (Bluebell)		Silaum silaus (Pepper-saxifrage)	
Poa trivialis (Rough Meadow-grass)	LF	Hypericum maculatum (Imp St. Johns-wort)	VL	Stachys officinalis (Betony)	
Trisetum flavescens (Yellow Oat-grass)		Hypericum perforatum (Pf St Johns-wort)		Stachys palustris (Marsh Woundwort)	
		Hypericum tetrapterum (Sq.Sd StJns-Wort)		Stachys sylvatica (Hedge Woundwort)	VL
Achillea millefolium (Yarrow)	O/VLF	Hypochaeris glabra (Smooth Catsear)		Stellaria graminea (Lesser Stitchwort)	O/VLF
Achillea ptarmica (Sneezewort)		Hypochaeris radicata (Common Catsear)	F	Stellaria holostea (Greater Stitchwort)	
Agrimonia eupatoria (Agrimony)		Jasione montana (Sheep's Bit)		Succisa pratensis (Devils Bit Scabious)	
Ajuga reptans (Bugle)		Juncus acutiflorus (Sharp-flowered Rush)		Taraxacum officinale (Dandelion)	
Alchemilla filicaulis (Lady's Mantle)		Juncus articulatus (Jointed Rush)		Thymus polytrichus (Wild Thyme)	
Alliaria petiolata (Garlic Mustard)		Juncus conglomeratus (Compact Rush)		Trifolium medium (Zig-zag Clover)	
Allium ursinum (Ramsons)		Juncus effusus (Soft Rush)		Trifolium pratense (Red Clover)	LF/VLA
Anemone nemorosa (Wood Anemone)		Juncus inflexus (Hard Rush)		Trifolium repens (White Clover)	LF
Angelica sylvestris (Wild Angelica)		Juncus squarrosus (Heath Rush)		Tragopogon pratensis (Goat's-beard)	R
Blackstonia perfoliata (Yellow-wort)		Juncus subnodulosus (Blunt-flowered Rush)		Vaccinium myrtillus (Bilberry)	
Calluna vulgaris (Ling Heather)		Knautia arvensis (Field Scabious)	R	Valeriana dioica (Marsh Valerian)	
Caltha palustris (Marsh Marigold)		Lamiastrum galeobdolon (Yellow Archangel)		Valeriana officinalis (Common Valerian)	
Campanula rotundiflora (Harebell)		Lathyrus nissolia (Grass Vetchling)		Veronica beccabunga (Brooklime)	
Campanula trachelium (Net-lyd Bellflower)		Lathyrus pratensis (Meadow Vetchling)	O/LF	Veronica chamaedrys (Gemdr. Speedwell)	O
Cardamine pratensis (Cuckoo Flower)		Leontodon autumnalis (Autumn Hawkbit)		Vicia cracca (Tufted Vetch)	O/VLF
Carex caryophylla (Spring Sedge)		Leontodon hispidus (Rough Hawkbit)	O	Vicia sativa (Common Vetch)	
Carex disticha (Brown Sedge)		Leontodon saxatilis (Lesser Hawkbit)		Vicia sepium (Bush Vetch)	
Carex divulsa (Grey Sedge)		Leucanthemum vulgare (Oxeye Daisy)		<u>Viola canina (Heath Dog -violet)</u>	
Carex obtusea (False Fox Sedge)		Linum catharticum (Fairy Flax)		Viola reichenbachiana (Wood Dog-violet)	
Carex flacca (Glaucous Sedge)		Listera ovata (Twayblade Orchid)		Viola riviniana (Common Dog-violet)	
Carex nigra (Common Sedge)		Lotus corniculatus (Birds-foot Trefoil)	F/VLA	Wahlenbergia hederacea (Ivy-leaved Bell-flower)	
Carex ovalis (Oval Sedge)		Lotus pedunculatus (Greater Birds-foot Trefoil)	O/VLF	Other species:	
Carex panicea (Carnation Sedge)		Luzula campestris (Field Wood-rush)		Nettle	O
Carex pendula (Pendulous Sedge)		Luzula multiflora (Heath Wood-rush)		Hawthorn	VL
Carex remota (Remote Sedge)		Lychnis flos-cuculi (Ragged Robin)		Oak sapling	R
Carex spicata (Spiked Sedge)		Mercurialis perennis (Dog's Mercury)		Red Campion	VL
Carex sylvatica (Wood Sedge)		Myosotis arvensis (Field Forget-me-not)		White campion	R

Centaurea nigra (Common Knapweed)	LF/VLA	Narcissus pseudonarcissus (Wild Daffodill)		Field bindweed	VL
Centaurea scabiosa (Greater Knapweed)		Oenanthe crocata (Hemlock Water-dropwort).		Lesser Burdock	R
Centaureum erythraea (Cmmn Centuary)		Ononis repens (Common Restharrow)		Broad-leaved dock	VLF
Cerastium holosteoides(Cmn. Mouse-ear)	O	Ophrys apifera (Bee Orchid)		Himalyan Balsam	VLA
Chrysosplenium oppositifolium (Op.l.gsxfg)		Orchis mascula (Early Purple Orchid)			
Cirsium arvense (Creeping Thistle)	VL	Orchis morio (Green-winged Orchid)		Fauna recorded:	
Cirsium dissectum (Meadow Thistle)		Pilosella officinarum (Mse-ear Hawkweed)		Meadow Brown	
Cirsium palustre (Marsh Thistle)		Pimpinella saxifraga (Burnet Saxifrage)		Burnet Moth	
Cirsium vulgare (Spear Thistle)	VL	Plantago lanceolata (Ribwort Plantain)		Drinker Moth	
Conopodium majus (Pignut)		Polygala serpyllifolia (Heath Milkwort)		Marbled White	
Crepis capillaris (smooth hawk's beard)	O	Polygala vulgaris (Common Milkwort)		Large White	
				Small copper	

SITE NAME: The Gockett

FIELD NUMBER: 2

DATE: 30/7/2013

	D		D		D
Agrostis tenuis (Common Bent)	VLF/O	Conopodium majus (Pignut)	VLO	Prunella vulgaris (Self-heal)	
Agrostis stolonifera (Creeping Bent)		Crepis capillaris (Smooth Hawks-beard)	O	Pteridium aquilinum (Bracken)	LD
Aira praecox (Early Hair-grass)		Crepis biennis (Rough Hawks-beard)		Pulicaria dysenterica (Fleabane)	
Alopecurus geniculatus (Marsh Foxtail)		Dactylorhiza fuchsii (C. Spotted Orchid)	O	Ranunculus acris (Meadow Buttercup)	
Alopecurus pratensis (Meadow Foxtail)		Dactylorhiza praetermissa (S.Msh Orchid)		Ranunculus auricomus (Gldlcks Buttercup)	
Anthoxanthum odoratum (Sweet Vnl Grass)	LF	Daucus carota (Wild Carrot)		Ranunculus bulbosus (Bulbous Buttercup)	
Arrhenatherum elatius (False Oat-grass)	LF	Equisetum arvense (Field Horsetail)		Ranunculus flammula (Lesser Spearwort)	
Brachypodium pinnatum (Tor Grass)		Erica cinerea (Bell Heather)		Ranunculus repens (Creeping Buttercup)	O
Briza media (Quaking Grass)		Erica tetralix (Cross-leaved Heather)		Rhinanthus minor (Yellow Rattle)	VLF/O
Bromopsis erecta (Upright Brome)		Eupatorium cannabinum (Hemp-agrimony)		Rubus fruticosus (Bramble)	VLA
Bromus commutatus (Meadow Brome)		Euphorbia amygdaloides (Wood Spurge)		Rumex acetosa (Common Sorrel)	
Bromus racemosus (Smooth Brome)		Euphrasia officinalis agg. (Eyebright)	VLF	Rumex acetosella (sheeps sorrel)	
Cynosurus cristatus (Crested Dog's-tail)		Filipendula ulmaria (Meadowsweet)		Rumex obtusifolius (Broad-leaved Dock)	R
Dactylis glomerata (Cock's Foot)	O	Fragaria vesca (Wild Strawberry)		Sanguisorba minor (Salad Burnet)	
Danthonia decumbens (Heath Grass)		Galium odoratum (Sweet Woodruff)		Scabiosa columbaria (Small Scabious)	
Deschampsia caespitosa (Tfid Hair-grass)		Galium palustre (Marsh Bedstraw)		Scorzoneroides autumnalis (Autumn Hawkbit)	O
Deschampsia flexuosa (Wavy Hair-grass)		Galium saxatile (Heath Bedstraw)	VLF	Scrophularia nodosa (Figwort)	
Eriophorum angustifolium(Cmn Cottongrass)		Galium verum (Lady's Bedstraw)		Senecio aquaticus (Marsh Ragwort)	
Festuca ovina (Sheep's Fescue) (Fescue sp)	VO	Genista tinctoria (Dyers Greenweed)		Senecio jacobea (Ragwort)	
Festuca rubra (Red Fescue)		Geranium pratense (Meadow Cranesbill)		Silaum silaus (Pepper-saxifrage)	
Glyceria fluitans (Floating Sweet-grass)		Geranium robertianum (Herb Robert)		Stachys officinalis (Betony)	
Helictotrichon pratense (Mdw Oat-grass)		Glechoma hederacea (Ground Ivy)		Stachys palustris (Marsh Woundwort)	
Holcus lanatus (Yorkshire Fog)	F	Helianthemum nummularium (Rock-rose)		Stachys sylvatica (Hedge Woundwort)	
Holcus mollis (Creeping Soft Grass)	LF/O	Heracleum sphondylium (Hogweed)		Stellaria graminea (Lesser Stitchwort)	VLF/O
Lolium perenne (Perennial Rye-grass)		Hyacinthoides non-scripta (Bluebell)		Stellaria holostea (Greater Stitchwort)	
Milium effusum (Wood Millet)		Hypericum maculatum (Imp St. Johns-wort)		Succisa pratensis (Devils Bit Scabious)	
Melica uniflora (Wood Mellick)		Hypericum perforatum (Pf St Johns-wort)		Taraxacum officinale (Dandelion)	
Molinia caerulea (Purple Moor-grass)		Hypericum tetrapterum (Sq.Sd StJns-Wort)		Thymus polytrichus (Wild Thyme)	
Nardus stricta (Mat Grass)		Hypochaeris glabra (Smooth Catsear)		Trifolium medium (Zig-zag Clover)	
Phalaris arundinacea (Reed Canary-grass)		Hypochaeris radicata (Common Catsear)	VLF/O	Trifolium pratense (Red Clover)	F
Phleum pratense (Timothy Grass)	VLA	Jasione montana (Sheep's Bit)		Trifolium repens (White Clover)	O
Poa annua (Annual Meadow-grass)		Juncus acutiflorus (Sharp-flowered Rush)		Tragopogon pratensis (Goat's-beard)	
Poa trivialis (Rough Meadow-grass)	O	Juncus articulatus (Jointed Rush)		Vaccinium myrtillus (Bilberry)	
Trisetum flavescens (Yellow Oat-grass)		Juncus conglomeratus (Compact Rush)		Valeriana dioica (Marsh Valerian)	
		Juncus effusus (Soft Rush)		Valeriana officinalis (Common Valerian)	
Achillea millefolium (Yarrow)	LA/O	Juncus inflexus (Hard Rush)		Veronica beccabunga (Brooklime)	
Achillea ptarmica (Sneezewort)		Juncus squarrosus (Heath Rush)		Veronica chamaedrys (Gemdr. Speedwell)	O
Agrimonia eupatoria (Agrimony)		Juncus subnodulosus (Blunt-flowered Rush)		Vicia cracca (Tufted Vetch)	O
Ajuga reptans (Bugle)		Knautia arvensis (Field Scabious)	O	Vicia sativa (Common Vetch)	
Alchemilla filicaulis (Lady's Mantle)		Lamiastrum galeobdolon (Yellow Archangel)		Vicia sepium (Bush Vetch)	
Alliaria petiolata (Garlic Mustard)		Lathyrus nissolia (Grass Vetchling)		Viola canina (Heath Dog -violet)	
Allium ursinum (Ramsons)		Lathyrus pratensis (Meadow Vetchling)	LA	Viola reichenbachiana (Wood Dog-violet)	
Anemone nemorosa (Wood Anemone)		Leontodon autumnalis (Autumn Hawkbit)	VLA/O	Viola riviniana (Common Dog-violet)	
Angelica sylvestris (Wild Angelica)		Leontodon hispidus (Rough Hawkbit)		Wahlenbergia hederacea (Ivy-leaved Bell-flower)	
Blackstonia perfoliata (Yellow-wort)		Leontodon saxatilis (Lesser Hawkbit)			
Calluna vulgaris (Ling Heather)		Leucanthemum vulgare (Oxeye Daisy)			
Caltha palustris (Marsh Marigold)		Linum catharticum (Fairy Flax)		Other Species:	
Campanula rotundiflora (Harebell)		Listera ovata (Twayblade Orchid)		Hawthorn	VL
Campanula trachelium (Net-lvd Bellflower)		Lotus corniculatus (Birds-foot Trefoil)	LA/F	Smooth sowthistle	R

Cardamine pratensis (Cuckoo Flower)		Lotus pedunculatus (Greater Birds-foot Trefoil)	LF	Nettle	LO
Carex caryophylla (Spring Sedge)		Luzula campestris (Field Wood-rush)		Cleavers	O
Carex disticha (Brown Sedge)		Luzula multiflora (Heath Wood-rush)		Field Bindweed	O
Carex divulsa (Grey Sedge)		Lychnis flos-cuculi (Ragged Robin)		Himalayan Balsam	F
Carex obtusa (False Fox Sedge)		Melampyrum pratense (Cow-wheat)		Lesser Burdock	R
Carex flacca (Glaucous Sedge)		Mentha aquatica (Water Mint)		Blackthorn	VL
Carex nigra (Common Sedge)		Mercurialis perennis (Dog's Mercury)			
Carex ovalis (Oval Sedge)		Myosotis arvensis (Field Forget-me-not)			
Carex panicea (Carnation Sedge)		<u>Narcissus pseudonarcissus (Wild Daffodil)</u>			
Carex pendula (Pendulous Sedge)		Oenanthe crocata (Hemlock Water-dropwort).			
Carex remota (Remote Sedge)		Ononis repens (Common Restharrow)			
Carex riparia (Greater Pond-sedge)		<u>Ophrys apifera (Bee Orchid)</u>			
Carex rostrata (Bottle Sedge)		Orchis mascula (Early Purple Orchid)			
Carex spicata (Spiked Sedge)		Orchis morio (Green-winged Orchid)		Fauna recorded during survey:	
Carex sylvatica (Wood Sedge)		Pilosella officinarum (Mse-ear Hawkweed)		Meadow Brown	
Centaurea nigra (Common Knapweed)	LA/F	Pimpinella saxifraga (Burnet Saxifrage)		Burnet Moth	
Centaurea scabiosa (Greater Knapweed)		Plantago lanceolata (Ribwort Plantain)	LA/F	Marbled White	
Centaurea erythraea (Common Centaury)		Polygala serpyllifolia (Heath Milkwort)		Large White	
Cerastium holosteoides (Common Mouse-ear)	O	Polygala vulgaris (Common Milkwort)			
Chrysosplenium oppositifolium (Op.l.gsxfg)		Potentilla anserina (Silverweed)			
Cirsium arvense (Creeping Thistle)	VLF	Potentilla erecta (Tormentil)	VL		
Cirsium dissectum (Meadow Thistle)		Potentilla reptans (Creeping Cinquefoil)			
Cirsium palustre (Marsh Thistle)		Potentilla sterilis (Barren Strawberry)			
Cirsium vulgare (Spear Thistle)		Primula veris (Cowslip)			

Key to colour coding of grassland species list

Species in **Bold** equals indicator species for Neutral grasslands (please note other species in list may be indicator species for other grassland types and these have been taken in to account when assessing overall value of the site).

Species in **Bold and underlined** equals a species from the contributory species list.

Species in *red italics* equals a species from the primary species list.