

Gwent Wildlife Site/SINC Notification Form

SITE SUMMARY

SITE NAME: **Glenview Farm Bungalow**

GRID REF: **S O 3 8 0 0 4 9**

SURVEYOR(S): **Andy Karan**

SIZE (approx.): **0.86ha**

DATE OF SURVEY: **15th June 2020**

LOCAL AUTHORITY AREA:


Monmouthshire

WARD: **Llanbadoc**

MAIN HABITAT TYPES PRESENT:

Habitat types	NVC type	Area (ha)
Species Rich Grassland		

SKETCH MAP OF SITES LOCATION:



LBAP PRIORITY HABITATS/SPECIES PRESENT?

Species-rich grassland

FULL DESCRIPTION OF SITE (including topography, adjacent land use, access and boundaries etc.):

A collection of five (Field 4 excluded from the LWS) fields that were until recently horse-grazed. The external boundaries of the site are native hedgerows, internally there is a mix of fence lines and hedging. As of 2020 the fields are now being managed as Hay Meadows, being “shut-up” and then cut in the summer, with the primary focus being to create/enhance the wildflower interest, some wildflower seed provided by GWT was sown in autumn 2020 subsequent to this survey. As a consequence of previous management the fields are still quite patchy as regards wildflowers, with some areas of quite rank grass, and also patches of thistles and some docks also. However, all fields have quite a number of indicator species present, including flowery/species-rich parts and are heading in the right direction. Fields 3 & 4 whilst far from being marshy grassland have a damper feel to them with scattered rushes. In contrast Field 5 is particularly dry and has an acidic element to it towards the SE corner. Red Clover, Lesser Stitchwort, Bulbous Buttercup and Field Wood-rush were among the typical and most numerous of the indicator species found. Also included within the LWS boundary is a strip of woodland which was quite diverse in terms of woody species, however it was contrastingly very species poor in herbs. The presence of Himalayan Balsam in proximity to the woodland should be noted.

Neutral Grasslands Indicators

Field 1 = 9

Field 2 = 7

Field 3 = 7

Field 4 = 5 (Not in LWS)

Field 5 = 10

13 Combined species recorded

Official Use Only: Site selected as a Wildlife Site/SINC? YES Y NO Date: 9/2/21

DETAILED SITE INFORMATION

SITE OWNERSHIP: Including names of any tenants/graziers Name(s)

Name(s)	[REDACTED]	
Address(es)	[REDACTED] [REDACTED] [REDACTED]	
Tel.no.	[REDACTED]	Mobile: [REDACTED]

Please log all landowner/tenant contact starting from the initial permission for access to survey

Date	Contact	Discussion subjects/decisions made
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

Is/are the owner(s) i) aware of the site's nature conservation value? Yes Y No
 ii) managing the land sympathetically? Yes Y No
 iii) willing to manage the land sympathetically? Yes Y No
 Unknown

Describe the access to the site:

Accessed from garden of Glenview Bungalow.

Are there any public rights of way on the site?

No

If so please describe their location:

No

What is the current management at the site?

Previously had horses (former owners). Now is to be hay-cut and topping following by raking off. Himalayan Balsam control and Creeping Thistle control has commenced.

Are there any threats to the site?

If not cut, grass could become rank.

Are there any invasive species present?

Himalayan Balsam and Creeping Thistle is frequent in parts.

Are there any protected species present?

None known


Please state the section(s) of the Wildlife Sites Guidance that this site qualifies under:

H4) Neutral Grasslands - over 8 indicator species. 9 in Field 1, 7 in Field 2, 7 in Field 3 and 10 in Field 5 (13 Combined species recorded)
5 in Field 4, this is currently excluded from the LWS however.

Is the site part of any grant schemes? Yes No Grant Scheme: End date.....

Does the site already have any designations? Yes No Designation:

Sketch map of site (including northpoint, scale and areas of the site of particular note):



Please list all additional survey information both past and present that relates to this site:
CCW Phase 1, 1991.

OFFICE USE ONLY

Site no.: WS/SO30/36

Please note: The data on this form may be held in accordance with the Gwent Wildlife Trust's registration under the Data Protection Act 1996

D	D	D
Agrostis capillaris (common bent)	F	Conopodium majus (pignut)
Agrostis stolonifera (creeping bent)		Crepis capillaris (smooth hawks-beard)
Aira praecox (early hair-grass)		Crepis biennis (rough hawks-beard)
Alopecurus geniculatus (marsh foxtail)		Dactylorhiza fuchsii (c. spotted orchid)
Alopecurus pratensis (meadow foxtail)	VL	Dactylorhiza praetermissa (s.msh orchid)
Anthoxanthum odoratum(sweet vnl grass)	F/A	Daucus carota (wild carrot)
Arrhenatherum elatius (false oat grass)	VLF	Equisetum arvense (field horsetail)
Brachypodium pinnatum (tor grass)		Erica cinerea (bell-heather)
Briza media (quaking grass)		Erica tetralix (cross-leaved heath)
Bromopsis erecta (upright brome)		Eupatorium cannabinum (hemp-agrimony)
Bromus commutatus (meadow brome)		Euphorbia amygdaloides (wood spurge)
Bromus racemosus (smooth brome)		Euphrasia officinalis agg. (eyebright)
Cynosurus cristatus (crested dog's tail)	O	Filipendula ulmaria (meadowsweet)
Dactylis glomerata (cock's foot)		Fragaria vesca (wild strawberry)
Danthonia decumbens (heath grass)		Galium odoratum (sweet woodruff)
Deschampsia caespitosa (tftd hair grass)		Galium palustre (marsh-bedstraw)
Deschampsia flexuosa (wavy hair-grass)		Galium saxatile (heath bedstraw)
Eriophorum angustifolium(cmn cottongrass)		Galium verum (lady's bedstraw)
Festuca ovina (sheep's fescue)		Genista tinctoria (dyers greenweed)
Festuca rubra (red fescue)	LF	Geranium pratense (meadow cranes bill)
Glyceria fluitans (floating sweet-grass)		Geranium robertianum (herb robert)
Helicotrichon pratense (mdw oat-grass)		Glechoma hederacea (ground ivy)
Holcus lanatus (yorkshire fog)	F/LA	Helianthemum nummularium (rock-rose)
Holcus mollis (creeping soft grass)		Heracleum sphondylium (hogweed)
Lolium perenne (perennial rye grass)	O/VLF	Hyacinthoides non-scripta (bluebell)
Milium effusum (wood millet)		Hypericum maculatum(im StJohns-Wort)
Melica uniflora (wood mellick)		Hypericum perforatum (pf St Johns-Wort)
Molinia caerulea (purple moor-grass)		Hypericum tetrapterum (sq.sd StJns-Wort)
Nardus stricta (mat grass)		Hypochaeris glabra (smooth cats ear)
Phalaris arundinacea (reed canary grass)		Hypochaeris radicata (common cats ear)
Phleum pratense (timothy grass)		Jasione montana (sheep's bit)
Poa annua (annual meadow grass)		Juncus acutiflorus (sharp-flowered rush)
Poa trivialis (rough meadow grass)	Y	Juncus articulatus (jointed rush)
Trisetum flavescens (yellow oat grass)	VLF	Juncus conglomeratus (compact rush)
Achillea millefolium (yarrow)	VO	Juncus effusus (soft rush)
Achillea ptarmica (sneezewort)		Juncus inflexus (hard rush)
Agrimony eupatoria (agrimony)		Juncus squarrosum (heath rush)
Ajuga reptans (bugle)		Juncus subnodulosus (blunt-flowered rush)
Alchemilla filicaulis (lady's mantle)		Knautia arvensis (field scabious)
Alliaria petiolata (garlic mustard)		Lamiastrum galeobdolon(yellow archangel)
Allium ursinum (ramsons)		Lathyrus nissolia (grass vetchling)
Anemone nemorosa (wood anemone)		Lathyrus pratensis (meadow vetchling)
Angelica sylvestris (wild angelica)		Leontodon autumnalis (autumn hawkbit)
Blackstonia perfoliata (yellow-wort)		Leontodon hispidus (rough hawkbit)
Calluna vulgaris (ling heather)		Leontodon saxatilis (lesser hawkbit)
Caltha palustris (marsh marigold)		Leucanthemum vulgare (oxeye daisy)
Campanula rotundiflora (harebell)		Linum catharticum (fairy flax)
Campanula trachelium (net-lvd bellflower)		Listera ovata (tway-blade orchid)
Cardamine pratensis (cuckoo flower)		Lotus corniculatus (birds-foot trefoil)
Carex caryophyllea (spring sedge)		Lotus uliginosus(greater birds-foot trefoil)
Carex disticha (brown sedge)		Luzula campestris (field wood rush)
Carex divisa (grey sedge)		Luzula multiflora (heath wood-rush)
Carex obtrudea (false fox sedge)		Lychnis flos-cuculi (ragged robin)
Carex flacca (glaucous sedge)		Melampyrum pratense (cow-wheat)
Carex nigra (common sedge)		Mentha aquatica (water mint)
Carex ovalis (oval sedge)		Mercurialis perennis (dog's-mercury)
Carex panicea (carnation sedge)		Myosotis arvensis (field forget-me-not)
Carex pseudocyperus (cyperus sedge)		Narcissus pseudonarcissus (wild daffodill)
Carex remota (Remote sedge)		Oenanthe crocata (Hemlock water dropwort).
Carex riparia (greater pond-sedge)		Ononis repens (common restarrow)
Carex rostrata (bottle sedge)		Ophrys apifera (bee orchid)
Carex spicata (spiked sedge)		Orchis mascula (early purple orchid)
Carex sylvatica (wood sedge)		Orchis morio (green-winged orchid)
Centaurea nigra (common knapweed)		Pilosella officinarum (mse-ear hawkweed)

Centaurea scabiosa (greater knapweed)		Pimpinella saxifraga (burnet saxifrage)		
Centaurium erythraea (cmnn centuary)		Plantago lanceolata (ribwort plantain)	O	
Cerastium holosteoides(cmn. mouse-ear)	O	Polygala serpyllifolia (heath milkwort)		
Chrysosplenium oppositifolium (op.l.gsxfg)		Polygala vulgaris (common milkwort)		
Cirsium arvense (creeping thistle)	LA	Potentilla anserina (silverweed)		
Cirsium dissectum (meadow thistle)		Potentilla erecta (tormentil)		
Cirsium palustre (marsh thistle)		Potentilla reptans (creeping cinquefoil)		
Cirsium vulgare (spear thistle)	R	Potentilla sterilis (barren strawberry)		

SITE NAME: Glenview Farm

Bungalow

FIELD NUMBER: 2

DATE:

15/6/2020

D	F	D	D
Agrostis capillaris (common bent)	F	Conopodium majus (pignut)	Primula veris (cowslip)
Agrostis stolonifera (creeping bent)		Crepis capillaris (smooth hawks-beard)	Prunella vulgaris (self-heal)
Aira praecox (early hair-grass)		Crepis biennis (rough hawks-beard)	Pteridium aquilinum (bracken)
Alopecurus geniculatus (marsh foxtail)	R	Dactylorhiza fuchsii (c. spotted orchid)	Pulicaria dysenterica (fleabane)
Alopecurus pratensis (meadow foxtail)		Dactylorhiza praetermissa (s.msh orchid)	Ranunculus acris (meadow buttercup)
Anthoxanthum odoratum(sweet vnl grass)	F/LA	Daucus carota (wild carrot)	Ranunculus auricomus (gdlcks buttercup)
Arrhenatherum elatius (false oat grass)	VL	Equisetum arvense (field horsetail)	Ranunculus bulbosus (bulbous buttercup)
Brachypodium pinnatum (tor grass)		Erica cinerea (bell-heather)	Ranunculus flammula (lesser spearwort)
Briza media (quaking grass)		Erica tetralix (cross-leaved heath)	Ranunculus repens (creeping buttercup)
Bromopsis erecta (upright brome)		Eupatorium cannabinum (hemp-agrimony)	Rhinanthus minor (yellow rattle)
Bromus commutatus (meadow brome)		Euphorbia amygdaloides (wood spurge)	Rubus fruticosus (bramble)
Bromus racemosus (smooth brome)		Euphrasia officinalis agg. (eyebright)	Rumex acetosa (common sorrel)
Cynosurus cristatus (crested dog's tail)	O/VLF	Filipendula ulmaria (meadowsweet)	Rumex acetosella (Sheeps Sorrel)
Dactylis glomerata (cock's foot)	VL	Fragaria vesca (wild strawberry)	Sanguisorba minor (salad burnet)
Danthonia decumbens (heath grass)		Galium odoratum (sweet woodruff)	Scabiosa columbaria (small scabious)
Deschampsia caespitosa (ftfd hair grass)		Galium palustre (marsh-bedstraw)	Scrophularia nodosa (figwort)
Deschampsia flexuosa (wavy hair-grass)		Galium saxatile (heath bedstraw)	Senecio aquaticus (marsh ragwort)
Eriophorum angustifolium(cmnn cottongrass)		Galium verum (lady's bedstraw)	Senecio jacobaea (ragwort)
Festuca ovina (sheep's fescue)		Genista tinctoria (dyers greenweed)	Silaum silaus (pepper-saxifrage)
Festuca rubra (red fescue)		Geranium pratense (meadow cranes bill)	Stachys officinalis (betony)
Glyceria fluitans (floating sweet-grass)		Geranium robertianum (herb robert)	Stachys palustris (marsh woundwort)
Helictotrichon pratense (mdw oat-grass)		Glechoma hederacea (ground ivy)	Stachys sylvatica (hedge woundwort)
Holcus lanatus (yorkshire fog)	F/LA	Helianthemum nummularium (rock-rose)	Stellaria graminea (lesser stichwort)
Holcus mollis (creeping soft grass)		Heracleum sphondylium (hogweed)	Stellaria holostea (greater stichwort)
Lolium perenne (perennial rye grass)	O/LF	Hyacinthoides non-scripta (bluebell)	Succisa pratensis (devils bit-scabious)
Milium effusum (wood millet)		Hypericum maculatum(imp StJohns-Wort)	Taraxacum officinale (dandelion)
Melica uniflora (wood mellick)		Hypericum perforatum (pf St Johns-Wort)	Thymus polytrichus (wild thyme)
Molinia caerulea (purple moor-grass)		Hypericum tetrapterum (sq.sd StJns-Wort)	Trifolium medium (zig zag clover)
Nardus stricta (mat grass)		Hypochoeris glabra (smooth cats ear)	Trifolium pratense (red clover)
Phalaris arundinacea (reed canary grass)		Hypochaeris radicata (common cats ear)	O Trifolium repens (white clover)
Phleum pratense (timothy grass)		Jasione montana (sheep's bit)	F/A Trifolium repens (white clover)
Poa annua (annual meadow grass)		Juncus acutiflorus (sharp-flowered rush)	Tragopogon pratensis (goat's-beard)
Poa trivialis (rough meadow grass)	F/LA	Juncus articulatus (jointed rush)	Vaccinium myrtillus (bilberry)
Trisetum flavescens (yellow oat grass)		Juncus conglomeratus (compact rush)	R Valeriana dioica (marsh valerian)
Achillea millefolium (yarrow)	O	Juncus effusus (soft rush)	Veronica beccabunga (brooklime)
Achillea ptarmica (sneezewort)		Juncus inflexus (hard rush)	Veronica chamaedrys (gemdr. speedwell)
Agrimonia eupatoria (agrimony)		Juncus squarrosum (heath rush)	Vicia cracca (tufted vetch)
Ajuga reptans (bugle)		Juncus subnodulosus (blunt-flowered rush)	Vicia sativa (common vetch)
Alchemilla filicaulis (lady's mantle)		Knautia arvensis (field scabious)	Vicia sepium (bush vetch)
Alliaria petiolata (garlic mustard)		Lamiastrum galeobdolon(yellow archangel)	Viola canina (heath dog-violet)
Allium ursinum (ramsons)		Lathyrus nissolia (grass vetchling)	Viola reichenbachiana (Early dog-violet)
Anemone nemorosa (wood anemone)		Lathyrus pratensis (meadow vetchling)	O Viola riviniana (common dog violet)
Angelica sylvestris (wild angelica)		Leontodon autumnalis (autumn hawkbit)	Wahlenbergia hederacea (ivy-lvd bl-flower)
Blackstonia perfoliata (yellow-wort)		Leontodon hispidus (rough hawkbit)	
Calluna vulgaris (ling heather)		Leontodon saxatilis (lesser hawkbit)	Other Species:
Caltha palustris (marsh marigold)		Leucanthemum vulgare (oxeye daisy)	Broms hordeaceus (Soft Brome)
Campanula rotundiflora (harebell)		Linum catharticum (fairy flax)	O Rumex obtusifolius (Broad-leaved Dock)
Campanula trachelium (net-lvd bellflower)		Listera ovata (tway-blade orchid)	O Prunus spinosa (Blackthorn) sucker
Cardamine pratensis (cuckoo flower)		Lotus corniculatus (birds-foot trefoil)	VLA Urtica dioica (Stinging Nettle)
Carex caryophyllea (spring sedge)		Lotus uliginosus(greater birds-foot trefoil)	O Lolium multiflorum (Italian Ryegrass)
Carex disticha (brown sedge)		Luzula campestris (field wood rush)	VL Plantago major (Greater Plantain)
Carex divulsia (grey sedge)		Luzula multiflora (heath wood-rush)	R Anthriscus sylvestris (Cow Parsley)
Carex obtrubea (false fox sedge)		Lychnis flos-cuculi (ragged robin)	R Gnaphalium uliginosum (Marsh Cudweed)
Carex flacca (glaucous sedge)		Melampyrum pratense (cow-wheat)	R Bromus sterilis (Sterile Brome)
Carex nigra (common sedge)		Mentha aquatica (water mint)	VL

Carex ovalis (oval sedge)		Mercurialis perennis (dog's-mercury)		
Carex panicina (carnation sedge)		Myosotis arvensis (field forget-me-not)		
Carex pseudocyperus (cyperus sedge)		Narcissus pseudonarcissus (wild daffodill)		
Carex remota (Remote sedge)		Oenanthe crocata (Hemlock water dropwort).		
Carex riparia (greater pond-sedge)		Ononis repens (common restarrow)		
Carex rostrata (bottle sedge)		Ophrys apifera (bee orchid)		
Carex spicata (spiked sedge)		Orchis mascula (early purple orchid)		
Carex sylvatica (wood sedge)		Orchis morio (green-winged orchid)		
Centaurea nigra (common knapweed)		Pilosella officinarum (mse-ear hawkweed)		
Centaurea scabiosa (greater knapweed)		Pimpinella saxifraga (burnet saxifrage)		
Centaurium erythraea (cmnn centuary)		Plantago lanceolata (ribwort plantain)	Y	
Cerastium holosteoides(cmnn. mouse-ear)	O	Polygala serpyllifolia (heath milkwort)		
Chrysosplenium oppositifolium (op.lgsxfg)		Polygala vulgaris (common milkwort)		
Cirsium arvense (creeping thistle)	O/LF	Potentilla anserina (silverweed)		
Cirsium dissectum (meadow thistle)		Potentilla erecta (tormentil)		
Cirsium palustre (marsh thistle)	R	Potentilla reptans (creeping cinquefoil)		
Cirsium vulgare (spear thistle)		Potentilla sterilis (barren strawberry)		

SITE NAME: Glenview Farm

Bungalow

FIELD NUMBER: 3

DATE:

15/6/2020

	D		D	D
Agrostis capillaris (common bent)	LF	Conopodium majus (pignut)		Primula veris (cowslip)
Agrostis stolonifera (creeping bent)		Crepis capillaris (smooth hawks-beard)		Prunella vulgaris (self-heal)
Aira praecox (early hair-grass)		Crepis biennis (rough hawks-beard)		Pteridium aquilinum (bracken)
Alopecurus geniculatus (marsh foxtail)		Dactylorhiza fuchsii (c. spotted orchid)		Pulicaria dysenterica (fleabane)
Alopecurus pratensis (meadow foxtail)	VLF	Dactylorhiza praetermissa (s.msh orchid)		Ranunculus acris (meadow buttercup)
Anthoxanthum odoratum(sweet vnl grass)	F	Daucus carota (wild carrot)		Ranunculus auricomus (gldcks buttercup)
Arrhenatherum elatius (false oat grass)		Equisetum arvense (field horsetail)		Ranunculus bulbosus (bulbous buttercup)
Brachypodium pinnatum (tor grass)		Erica cinerea (bell-heather)		Ranunculus flammula (lesser spearwort)
Briza media (quaking grass)		Erica tetralix (cross-leaved heath)		Ranunculus repens (creeping buttercup)
Bromopsis erecta (upright brome)		Eupatorium cannabinum (hemp-agrimony)		Rhinanthus minor (yellow rattle)
Bromus commutatus (meadow brome)		Euphorbia amygdaloides (wood spurge)		Rubus fruticosus (bramble)
Bromus racemosus (smooth brome)		Euphrasia officinalis agg. (eyebright)		Rumex acetosa (common sorrel)
Cynosurus cristatus (crested dog's tail)	F	Filipendula ulmaria (meadowsweet)		Rumex acetosella (Sheeps Sorrel)
Dactylis glomerata (cock's foot)		Fragaria vesca (wild strawberry)		Sanguisorba minor (salad burnet)
Danthonia decumbens (heath grass)		Galium odoratum (sweet woodruff)		Scabiosa columbaria (small scabious)
Deschampsia caespitosa (tfd hair grass)		Galium palustre (marsh-bedstraw)		Scrophularia nodosa (figwort)
Deschampsia flexuosa (wavy hair-grass)		Galium saxatile (heath bedstraw)		Senecio aquaticus (marsh ragwort)
Eriophorum angustifolium(cmnn cottongrass)		Galium verum (lady's bedstraw)		Senecio jacobaea (ragwort)
Festuca ovina (sheep's fescue)		Genista tinctoria (dyers greenweed)		Silaum silaus (pepper-saxifrage)
Festuca rubra (red fescue)	VO	Geranium pratense (meadow cranes bill)		Stachys officinalis (betony)
Glyceria fluitans (floating sweet-grass)		Geranium robertianum (herb robert)		Stachys palustris (marsh woundwort)
Helictotrichon pratense (mdw oat-grass)		Glechoma hederacea (ground ivy)		Stachys sylvatica (hedge woundwort)
Holcus lanatus (yorkshire fog)	F/A	Helianthemum nummularium (rock-rose)		Stellaria graminea (lesser stichwort)
Holcus mollis (creeping soft grass)		Heracleum sphondylium (hogweed)	VL	Stellaria holostea (greater stichwort)
Lolium perenne (perennial rye grass)		Hyacinthoides non-scripta (bluebell)		Succisa pratensis (devils bit-scabious)
Milium effusum (wood millet)		Hypericum maculatum(imp StJohns-Wort)		Taraxacum officinale (dandelion)
Melica uniflora (wood mellick)		Hypericum perforatum (pf St Johns-Wort)		Thymus polytrichus (wild thyme)
Molinia caerulea (purple moor-grass)		Hypericum tetrapterum (sq.sd StJns-Wort)		Trifolium medium (zig zag clover)
Nardus stricta (mat grass)		Hypochoeris glabra (smooth cats ear)		Trifolium pratense (red clover)
Phalaris arundinacea (reed canary grass)		Hypochoeris radicata (common cats ear)	O	Trifolium repens (white clover)
Phleum pratense (timothy grass)		Jasione montana (sheep's bit)		Tragopogon pratensis (goat's-beard)
Poa annua (annual meadow grass)		Juncus acutiflorus (sharp-flowered rush)	VLA	Vaccinium myrtillus (bilberry)
Poa trivialis (rough meadow grass)	LF	Juncus articulatus (jointed rush)		Valeriana dioica (marsh valerian)
Trisetum flavescens (yellow oat grass)		Juncus conglomeratus (compact rush)		Valeriana officinalis (common valerian)
Achillea millefolium (yarrow)		Juncus effusus (soft rush)	O	Veronica beccabunga (brooklime)
Achillea ptarmica (sneezewort)		Juncus inflexus (hard rush)		Veronica chamaedrys (gemdr. speedwell)
Agrimonia eupatoria (agrimony)		Juncus squarrosum (heath rush)		Vicia cracca (tufted vetch)
Ajuga reptans (bugle)		Juncus subnodulosus (blunt-flowered rush)		Vicia sativa (common vetch)
Alchemilla filicaulis (lady's mantle)		Knautia arvensis (field scabious)		Vicia sepium (bush vetch)
Alliaria petiolata (garlic mustard)		Lamiastrum galeobdolon(yellow archangel)		Viola canina (heath dog-violet)
Allium ursinum (ramsons)		Lathyrus nissolia (grass vetchling)		Viola reichenbachiana (Early dog-violet)
Anemone nemorosa (wood anemone)		Lathyrus pratensis (meadow vetchling)	O/VLF	Viola riviniana (common dog violet)
Angelica sylvestris (wild angelica)		Leontodon autumnalis (autumn hawkbit)		Wahlenbergia hederacea (ivy-lvd bl-flower)
Blackstonia perfoliata (yellow-wort)		Leontodon hispidus (rough hawkbit)		
Calluna vulgaris (ling heather)		Leontodon saxatilis (lesser hawkbit)		Other Species:

Caltha palustris (marsh marigold)		Leucanthemum vulgare (oxeye daisy)		Rumex crispus (Curled Dock)	R
Campanula rotundiflora (harebell)		Linum catharticum (fairy flax)		Rumex obtusifolius (Broad-leaved Dock)	O
Campanula trachelium (net-lvd bellflower)		Listera ovata (tway-blade orchid)		Trifolium dubium (Lesser Trefoil)	O
Cardamine pratensis (cuckoo flower)		Lotus corniculatus (birds-foot trefoil)	O	Urtica dioica (Stinging Nettle)	O/VLA
Carex caryophyllea (spring sedge)		Lotus uliginosus(greater birds-foot trefoil)	LF		
Carex disticha (brown sedge)		Luzula campestris (field wood rush)	VLF		
Carex divulsa (grey sedge)		Luzula multiflora (heath wood-rush)			
Carex obtrubea (false fox sedge)		Lychnis flos-cuculi (ragged robin)			
Carex flacca (glaucous sedge)		Melampyrum pratense (cow-wheat)			
Carex nigra (common sedge)		Mentha aquatica (water mint)			
Carex ovalis (oval sedge)	R	Mercurialis perennis (dog's-mercury)			
Carex panicea (carnation sedge)		Myosotis arvensis (field forget-me-not)			
Carex pseudocyperus (cyperus sedge)		Narcissus pseudonarcissus (wild daffodil)			
Carex remota (Remote sedge)		Oenanthe crocata (Hemlock water dropwort).	VLD		
Carex riparia (greater pond-sedge)		Ononis repens (common restarrow)			
Carex rostrata (bottle sedge)		Ophrys apifera (bee orchid)			
Carex spicata (spiked sedge)		Orchis mascula (early purple orchid)			
Carex sylvatica (wood sedge)		Orchis morio (green-winged orchid)			
Centaurea nigra (common knapweed)		Pilosella officinarum (mse-ear hawkweed)			
Centaurea scabiosa (greater knapweed)		Pimpinella saxifraga (burnet saxifrage)			
Centaureum erythraea (cmnn centuary)		Plantago lanceolata (ribwort plantain)			
Cerastium holosteoides(cmn. mouse-ear)		Polygala serpyllifolia (heath milkwort)			
Chrysosplenium oppositifolium (op.lgsxfg)		Polygala vulgaris (common milkwort)			
Cirsium arvense (creeping thistle)	O/LF	Potentilla anserina (silverweed)			
Cirsium dissectum (meadow thistle)		Potentilla erecta (tormentil)			
Cirsium palustre (marsh thistle)		Potentilla reptans (creeping cinquefoil)	VL		
Cirsium vulgare (spear thistle)	R	Potentilla sterilis (barren strawberry)			

SITE NAME: Glenview Farm

Bungalow

FIELD NUMBER: 4

DATE:

15/6/2020

D	D	D	D
Agrostis capillaris (common bent)	F	Conopodium majus (pignut)	Primula veris (cowslip)
Agrostis stolonifera (creeping bent)		Crepis capillaris (smooth hawks-beard)	Prunella vulgaris (self-heal)
Aira praecox (early hair-grass)		Crepis biennis (rough hawks-beard)	Pteridium aquilinum (bracken)
Alopecurus geniculatus (marsh foxtail)		Dactylorhiza fuchsii (c. spotted orchid)	Pulicaria dysenterica (fleabane)
Alopecurus pratensis (meadow foxtail)	VO	Dactylorhiza praetermissa (s.msh orchid)	Ranunculus acris (meadow buttercup)
Anthoxanthum odoratum(sweet vnl grass)	F	Daucus carota (wild carrot)	Ranunculus auricomus (gdlcks buttercup)
Arrhenatherum elatius (false oat grass)		Equisetum arvense (field horsetail)	Ranunculus bulbosus (bulbous buttercup)
Brachypodium pinnatum (tor grass)		Erica cinerea (bell-heather)	Ranunculus flammula (lesser spearwort)
Briza media (quaking grass)		Erica tetralix (cross-leaved heath)	Ranunculus repens (creeping buttercup)
Bromopsis erecta (upright brome)		Eupatorium cannabinum (hemp-agrimony)	Rhinanthus minor (yellow rattle)
Bromus commutatus (meadow brome)		Euphorbia amygdaloides (wood spurge)	Rubus fruticosus (bramble)
Bromus racemosus (smooth brome)		Euphrasia officinalis agg. (eyebright)	Rumex acetosa (common sorrel)
Cynosurus cristatus (crested dog's tail)	F/LA	Filipendula ulmaria (meadowsweet)	Rumex acetosella (Sheeps Sorrel)
Dactylis glomerata (cock's foot)	VL	Fragaria vesca (wild strawberry)	Sanguisorba minor (salad burnet)
Danthonia decumbens (heath grass)		Galium odoratum (sweet woodruff)	Scabiosa columbaria (small scabious)
Deschampsia caespitosa (ftfd hair grass)		Galium palustre (marsh-bedstraw)	Scrophularia nodosa (figwort)
Deschampsia flexuosa (wavy hair-grass)		Galium saxatile (heath bedstraw)	Senecio aquaticus (marsh ragwort)
Eriophorum angustifolium(cmnn cottongrass)		Galium verum (lady's bedstraw)	Senecio jacobaea (ragwort)
Festuca ovina (sheep's fescue)		Genista tinctoria (dyers greenweed)	Silaum silaus (pepper-saxifrage)
Festuca rubra (red fescue)		Geranium pratense (meadow cranes bill)	Stachys officinalis (betony)
Glyceria fluitans (floating sweet-grass)		Geranium robertianum (herb robert)	Stachys palustris (marsh woundwort)
Helictotrichon pratense (mdw oat-grass)		Glechoma hederacea (ground ivy)	Stachys sylvatica (hedge woundwort)
Holcus lanatus (yorkshire fog)	A	Helianthemum nummularium (rock-rose)	Stellaria graminea (lesser stichwort)
Holcus mollis (creeping soft grass)		Heracleum sphondylium (hogweed)	Stellaria holostea (greater stichwort)
Lolium perenne (perennial rye grass)	LF	Hyacinthoides non-scripta (bluebell)	Succisa pratensis (devils bit-scabious)
Milium effusum (wood millet)		Hypericum maculatum(imp St Johns-Wort)	Taraxacum officinale (dandelion)
Melica uniflora (wood mellick)		Hypericum perforatum (pf St Johns-Wort)	Thymus polytrichus (wild thyme)
Molinia caerulea (purple moor-grass)		Hypericum tetrapterum (sq.sd StJns-Wort)	Trifolium medium (zig zag clover)
Nardus stricta (mat grass)		Hypochaeris glabra (smooth cats ear)	Trifolium pratense (red clover)
Phalaris arundinacea (reed canary grass)		Hypochaeris radicata (common cats ear)	O Trifolium repens (white clover)
Phleum pratense (timothy grass)		Jasione montana (sheep's bit)	F/LA Tragopogon pratensis (goat's-beard)
Poa annua (annual meadow grass)		Juncus acutiflorus (sharp-flowered rush)	Vaccinium myrtillus (bilberry)
Poa trivialis (rough meadow grass)	O/VLF	Juncus articulatus (jointed rush)	Valeriana dioica (marsh valerian)
Trisetum flavescens (yellow oat grass)		Juncus conglomeratus (compact rush)	O/LF Valeriana officinalis (common valerian)
Achillea millefolium (yarrow)		Juncus effusus (soft rush)	O Veronica beccabunga (brooklime)

Achillea ptarmica (sneezewort)		Juncus inflexus (hard rush)		Veronica chamaedrys (gemdr. speedwell)	
Agrimonia eupatoria (agrimony)		Juncus squarrosum (heath rush)		Vicia cracca (tufted vetch)	
Ajuga reptans (bugle)		Juncus subnodulosus (blunt-flowered rush)		Vicia sativa (common vetch)	
Alchemilla filicaulis (lady's mantle)		Knautia arvensis (field scabious)		Vicia sepium (bush vetch)	
Alliaria petiolata (garlic mustard)		Lamiastrum galeobdolon(yellow archangel)		Viola canina (heath dog-violet)	
Allium ursinum (ramsons)		<u>Lathyrus nissolia (grass vetchling)</u>		Viola reichenbachiana (Early dog-violet)	
Anemone nemorosa (wood anemone)		<u>Lathyrus pratensis (meadow vetchling)</u>		Viola riviniana (common dog violet)	
Angelica sylvestris (wild angelica)		<u>Leontodon autumnalis (autumn hawkbit)</u>		Wahlenbergia hederacea (ivy-lvd bl-flower)	
Blackstonia perfoliata (yellow-wort)		<u>Leontodon hispidus (rough hawkbit)</u>			
Calluna vulgaris (ling heather)		<u>Leontodon saxatilis (lesser hawkbit)</u>		Other Species:	
Caltha palustris (marsh marigold)		<u>Leucanthemum vulgare (oxeye daisy)</u>		Epilobium hirsutum (Greater Willowherb)	Y
Campanula rotundiflora (harebell)		<u>Linum catharticum (fairy flax)</u>		Rumex conglomeratus (Clustered Dock)	VLF
Campanula trachelium (net-lvd bellflower)		<u>Listera ovata (tway-blade orchid)</u>		Prunus spinosa (Blackthorn) sucker	Y
Cardamine pratensis (cuckoo flower)		<u>Lotus corniculatus (birds-foot trefoil)</u>	O	Urtica dioica (Stinging Nettle)	Y
Carex caryophyllea (spring sedge)		Lotus uliginosus(greater birds-foot trefoil)	LF	Trifolium dubium (Lesser Trefoil)	Y
Carex disticha (brown sedge)		<u>Luzula campestris (field wood rush)</u>	LF	Sonchus sp. (Sow-thistle sp.)	Y
Carex divisa (grey sedge)		Luzula multiflora (heath wood-rush)		Helminthotheca echooides (Bristly Ox-tongue)	R
Carex obtrudens (false fox sedge)		Lychnis flos-cuculi (ragged robin)	R	Dipsacus fullonum (Teasel)	Y
Carex flacca (glaucous sedge)		Melampyrum pratense (cow-wheat)		Bellis perennis (Daisy)	Y
Carex nigra (common sedge)		Mentha aquatica (water mint)		Impatiens glandulifera (Himalayan Balsam)	VLD
Carex ovalis (oval sedge)	O	Mercurialis perennis (dog's-mercury)			
Carex panicoides (carnation sedge)		Myosotis arvensis (field forget-me-not)	R		
Carex pseudocyperus (cyperus sedge)		Narcissus pseudonarcissus (wild daffodil)			
Carex remota (Remote sedge)		Oenanthe crocata (Hemlock water dropwort).			
Carex riparia (greater pond-sedge)		Ononis repens (common restarrow)			
Carex rostrata (bottle sedge)		<u>Ophrys apifera (bee orchid)</u>			
Carex spicata (spiked sedge)		Orchis mascula (early purple orchid)			
Carex sylvatica (wood sedge)		Orchis morio (green-winged orchid)			
Centaurea nigra (common knapweed)		Pilosella officinarum (mse-ear hawkweed)			
Centaurea scabiosa (greater knapweed)		Pimpinella saxifrage (burnet saxifrage)			
Centaurium erythraea (cmnn centuary)		Plantago lanceolata (ribwort plantain)			
Cerastium holosteoides(cmnn. mouse-ear)	O	Polygala serpyllifolia (heath milkwort)			
Chrysosplenium oppositifolium (op.l.gsxfg)		Polygala vulgaris (common milkwort)			
Cirsium arvense (creeping thistle)	O/VLA	Potentilla anserina (silverweed)			
Cirsium dissectum (meadow thistle)		Potentilla erecta (tormentil)			
Cirsium palustre (marsh thistle)	VO	Potentilla reptans (creeping cinquefoil)	VL		
Cirsium vulgare (spear thistle)	VL	Potentilla sterilis (barren strawberry)			

SITE NAME: Glenview Farm

Bungalow

FIELD NUMBER: 5

DATE:

15/6/2020

	D		D	D
Agrostis capillaris (common bent)	F	Conopodium majus (pignut)	VO	Primula veris (cowslip)
Agrostis stolonifera (creeping bent)		Crepis capillaris (smooth hawks-beard)		Prunella vulgaris (self-heal)
Aira praecox (early hair-grass)		Crepis biennis (rough hawks-beard)		Pteridium aquilinum (bracken)
Alopecurus geniculatus (marsh foxtail)		Dactylorhiza fuchsii (c. spotted orchid)		Pulicaria dysenterica (fleabane)
Alopecurus pratensis (meadow foxtail)		Dactylorhiza praetermissa (s.msh orchid)		Ranunculus acris (meadow buttercup)
Anthoxanthum odoratum(sweet vnl grass)	A	Daucus carota (wild carrot)		Ranunculus auricomus (gldcks buttercup)
Arrhenatherum elatius (false oat grass)	VL	Equisetum arvense (field horsetail)		Ranunculus bulbosus (bulbous buttercup)
Brachypodium pinnatum (tor grass)		Erica cinerea (bell-heather)		Ranunculus flammula (lesser spearwort)
Briza media (quaking grass)		Erica tetralix (cross-leaved heath)		Ranunculus repens (creeping buttercup)
Bromopsis erecta (upright brome)		Eupatorium cannabinum (hemp-agrimony)		Rhinanthus minor (yellow rattle)
Bromus commutatus (meadow brome)		Euphorbia amygdaloides (wood spurge)		Rubus fruticosus (bramble)
Bromus racemosus (smooth brome)		Euphrasia officinalis agg. (eyebright)		Rumex acetosa (common sorrel)
Cynosurus cristatus (crested dog's tail)		Filipendula ulmaria (meadowsweet)		Rumex acetosella (Sheeps Sorrel)
Dactylis glomerata (cock's foot)	VO	Fragaria vesca (wild strawberry)		Sanguisorba minor (salad burnet)
Danthonia decumbens (heath grass)		Galium odoratum (sweet woodruff)		Scabiosa columbaria (small scabious)
Deschampsia caespitosa (ftfd hair grass)		Galium palustre (marsh-bedstraw)		Scrophularia nodosa (figwort)
Deschampsia flexuosa (wavy hair-grass)		Galium saxatile (heath bedstraw)		Senecio aquaticus (marsh ragwort)
Eriophorum angustifolium(cmn cottongrass)		Galium verum (lady's bedstraw)		Senecio jacobaea (ragwort)
Festuca ovina (sheep's fescue)		Genista tinctoria (dyers greenweed)		Silaum silaus (pepper-saxifrage)
Festuca rubra (red fescue)	VLA	Geranium pratense (meadow cranes bill)		Stachys officinalis (betony)
Glyceria fluitans (floating sweet-grass)		Geranium robertianum (herb robert)		Stachys palustris (marsh woundwort)
Helictotrichon pratense (mdw oat-grass)		Glechoma hederacea (ground ivy)		Stachys sylvatica (hedge woundwort)
Holcus lanatus (yorkshire fog)	A	Helianthemum nummularium (rock-rose)		Stellaria graminea (lesser stichwort)
Holcus mollis (creeping soft grass)		Heracleum sphondylium (hogweed)		Stellaria holostea (greater stichwort)
Lolium perenne (perennial rye grass)	O/VLF	Hyacinthoides non-scripta (bluebell)		Succisa pratensis (devils bit-scabious)

Milium effusum (wood millet)		Hypericum maculatum (imp St Johns-Wort)		Taraxacum officinale (dandelion)	
Melica uniflora (wood mellick)		Hypericum perforatum (of St Johns-Wort)		Thymus polytrichus (wild thyme)	
Molinia caerulea (purple moor-grass)		Hypericum tetrapterum (sq.sd StJns-Wort)		Trifolium medium (zig zag clover)	
Nardus stricta (mat grass)		Hypochaeris glabra (smooth cats ear)		Trifolium pratense (red clover)	O/LF
Phalaris arundinacea (reed canary grass)		Hypochaeris radicata (common cats ear)	O/LF	Trifolium repens (white clover)	
Phleum pratense (timothy grass)		Jasione montana (sheep's bit)		Tragopogon pratensis (goat's-beard)	
Poa annua (annual meadow grass)		Juncus acutiflorus (sharp-flowered rush)		Vaccinium myrtillus (bilberry)	
Poa trivialis (rough meadow grass)	O/VLF	Juncus articulatus (jointed rush)		Valeriana dioica (marsh valerian)	
Trisetum flavescens (yellow oat grass)		Juncus conglomeratus (compact rush)		Valeriana officinalis (common valerian)	
Achillea millefolium (yarrow)	VO	Juncus effusus (soft rush)		Veronica beccabunga (brooklime)	
Achillea ptarmica (sneezewort)		Juncus inflexus (hard rush)		Veronica chamaedrys (gemdr. speedwell)	VL
Agrimonia eupatoria (agrimony)		Juncus squarrosum (heath rush)		Vicia cracca (tufted vetch)	
Ajuga reptans (bugle)		Juncus subnodulosus (blunt-flowered rush)		Vicia sativa (common vetch)	
Alchemilla filicaulis (lady's mantle)		Knautia arvensis (field scabious)		Vicia sepium (bush vetch)	
Alliaria petiolata (garlic mustard)		Lamiastrum galeobdolon(yellow archangel)		Viola canina (heath dog-violet)	
Allium ursinum (ramsons)		Lathyrus nissolia (grass vetchling)		Viola reichenbachiana (Early dog-violet)	
Anemone nemorosa (wood anemone)		Lathyrus pratensis (meadow vetchling)		Viola riviniana (common dog violet)	VL
Angelica sylvestris (wild angelica)		Leontodon autumnalis (autumn hawkbit)		Wahlenbergia hederacea (ivy-lvd bl-flower)	
Blackstonia perfoliata (yellow-wort)		Leontodon hispidus (rough hawkbit)			
Calluna vulgaris (ling heather)		Leontodon saxatilis (lesser hawkbit)		Other Species:	
Caltha palustris (marsh marigold)		Leucanthemum vulgare (oxeye daisy)		Digitalis purpurea (Foxglove)	VL
Campanula rotundiflora (harebell)		Linum catharticum (fairy flax)		Bromus hordeaceus (Soft Brome)	LA
Campanula trachelium (net-lvd bellflower)		Listera ovata (tway-blade orchid)		Prunus spinosa (Blackthorn) sucker	Y
Cardamine pratensis (cuckoo flower)		Lotus corniculatus (birds-foot trefoil)	O/VLF	Urtica dioica (Stinging Nettle)	VLA
Carex caryophyllea (spring sedge)		Lotus uliginosus(greater birds-foot trefoil)	VL	Trifolium dubium (Lesser Trefoil)	O/VLF
Carex disticha (brown sedge)		Luzula campestris (field wood rush)	LF	Anthriscus sylvestris (Cow Parsley)	R
Carex divulsa (grey sedge)		Luzula multiflora (heath wood-rush)		Tamus communis (Black Bryony)	R
Carex flacca (glaucous sedge)		Lychnis flos-cuculi (ragged robin)		Vulpia bromioides (Squirrel-tail Fescue)	VLF
Carex nigra (common sedge)		Melampyrum pratense (cow-wheat)			
Carex ovalis (oval sedge)		Mentha aquatica (water mint)			
Carex panicea (carnation sedge)		Myosotis arvensis (field forget-me-not)			
Carex pseudocyperus (cyperus sedge)		Narcissus pseudonarcissus (wild daffodill)			
Carex remota (Remote sedge)		Oenanthe crocata (Hemlock water dropwort)			
Carex riparia (greater pond-sedge)		Ononis repens (common restarrow)			
Carex rostrata (bottle sedge)		Ophrys apifera (bee orchid)			
Carex spicata (spiked sedge)		Orchis mascula (early purple orchid)			
Carex sylvatica (wood sedge)		Orchis morio (green-winged orchid)			
Centaurea nigra (common knapweed)	VLF	Pilosella officinarum (mse-ear hawkweed)	VL		
Centaurea scabiosa (greater knapweed)		Pimpinella saxifraga (burnet saxifrage)			
Centaurium erythraea (cmnn centuary)		Plantago lanceolata (ribwort plantain)			
Cerastium holosteoides(cmn. mouse-ear)		Polygala serpyllifolia (heath milkwort)			
Chrysosplenium oppositifolium (op.lgsxfg)		Polygala vulgaris (common milkwort)			
Cirsium arvense (creeping thistle)	O	Potentilla anserina (silverweed)			
Cirsium dissectum (meadow thistle)		Potentilla erecta (tormentil)			
Cirsium palustre (marsh thistle)		Potentilla reptans (creeping cinquefoil)			
Cirsium vulgare (spear thistle)		Potentilla sterilis (barren strawberry)			

Key to colour coding of grassland species list

Species in **Bold** equals indicator species for Neutral grasslands (please note other species in list may be indicator species for other grassland types and these have been taken in to account when assessing overall value of the site).

Species in **Bold and underlined** equals a species from the contributory species list.

Key to abundances

D = Dominant

A = Abundant

F = Frequent

O = Occasional

R = Rare

Y = Yes (present)

Prefixs

L= Local/Locally

V= Very