

Gwent Wildlife Site/SINC Notification Form

SITE SUMMARY

SITE NAME:	Woodbine Cottage, Coed Morgan							
GRID REF:	S	O	3	5	3	1	1	2
SURVEYOR(S):	Andy Karran							
SIZE (approx.):	1.48ha							
DATE OF SURVEY:	8 th July 2020							

LOCAL AUTHORITY AREA:

Monmouthshire

WARD: Llanover


MAIN HABITAT TYPES PRESENT:

Habitat types	NVC type	Area (ha)
Species Rich Grassland		

LBAP PRIORITY HABITATS/SPECIES PRESENT?

Species-rich grassland

SKETCH MAP OF SITES LOCATION:



FULL DESCRIPTION OF SITE (including topography, adjacent land use, access and boundaries etc.):

Two fields that are divided by a narrow, fairly recently planted wooded strip. The fields are bordered by species-rich hedgerows, with many trees within the hedge on the eastern boundary. The fields slope gently downwards to the south.

The fields are very species-rich and impressively flowery. They are neutral grassland, managed as Hay Meadows, but have evidence of a slightly damp nature, particularly the more southerly field. There is a good grassy sward with many finer grass species such as Sweet Vernal Grass, Crested Dogstail, Red Fescue and Common Bent, however the fields are notable for the high herb to grass ratio. Indicator species are numerous, both those of Neutral Grassland of which Common Knapweed (*Centaurea nigra*) is particularly numerous, along with much Red Clover (*Trifolium pratense*), Birdsfoot Trefoil (*Lotus corniculatus*), Tufted Vetch (*Vicia cracca*), Lesser Stitchwort (*Stellaria graminea*) and also Marshy Grassland, but generally in lesser numbers. Marshy species such as MeadowSweet (*Filipendula ulmaria*) and Sharp-flowered Rush (*Juncus articulatus*) are at least locally frequent in the more southerly field however.

The abundance of Southern Marsh Orchids (*Dactylorhiza praetermissa*) is particularly notable and also the presence of Adder's Tongue Fern (*Ophioglossum vulgatum*) (not seen during survey, but reliably reported).

Neutral Grasslands Indicators = Field 1 = 18, Field 2 = 14, Overall = 20
Marshy Grasslands Indicators = Field 1 = 15, Field 2 = 12, Overall = 18

Official Use Only: Site selected as a Wildlife Site/SINC? YES NO Date: 9/2/21

DETAILED SITE INFORMATION

SITE OWNERSHIP: Including names of any tenants/graziers Name(s)

Name(s)	[REDACTED]	
Address(es)	[REDACTED]	
		[REDACTED]
Tel.no.	[REDACTED]	Mobile: [REDACTED]

Please log all landowner/tenant contact starting from the initial permission for access to survey

Date	Contact	Discussion subjects/decisions made
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]

Is/are the owner(s) i) aware of the site's nature conservation value? Yes Y No
 ii) managing the land sympathetically? Yes Y No
 iii) willing to manage the land sympathetically? Yes Y No Unknown

Describe the access to the site:

Through gate opposite side of rod from garden of property.

Are there any public rights of way on the site?

No

If so please describe their location:

No

What is the current management at the site?

Managed as Hay Meadow.

Are there any threats to the site?

None noted.

Are there any invasive species present?

None noted.

Are there any protected species present?

None known

Please state the section(s) of the Wildlife Sites Guidance that this site qualifies under:


H4) Neutral Grasslands over 8 indicator species = Field 1 = 18, Field 2 = 14, Overall = 20

H7) Marshy Grasslands over 12 indicator species = Field 1 = 15, Field 2 = 12, Overall = 18

Is the site part of any grant schemes? Yes No Grant Scheme:.....End date.....

Does the site already have any designations? Yes No Designation:.....

Sketch map of site (including northpoint, scale and areas of the site of particular note):



Please list all additional survey information both past and present that relates to this site:
CCW Phase 1, 1991.

OFFICE USE ONLY

Site no.: WS/SO31/09

Please note: The data on this form may be held in accordance with the Gwent Wildlife Trust's registration under the Data Protection Act 1998

SITE NAME: Woodbine Cottage,
Coed Morgan

FIELD NUMBER: 1

DATE: 8/7/20

D	F	<i>Conopodium majus</i> (Pignut)	D	Prunella vulgaris (Self-heal)	O
<i>Agrostis capillaris</i> (Common Bent)		<i>Crepis capillaris</i> (Smooth Hawks-beard)		<i>Pteridium aquilinum</i> (Bracken)	
<i>Agrostis stolonifera</i> (Creeping Bent)		<i>Crepis biennis</i> (Rough Hawks-beard)		<i>Pulicaria dysenterica</i> (Fleabane)	LA
<i>Aira praecox</i> (Early Hair-grass)		<i>Dactylorhiza fuchsii</i> (Common Spotted Orchid)		<i>Ranunculus acris</i> (Meadow Buttercup)	F
<i>Alopecurus geniculatus</i> (Marsh Foxtail)		<i>Dactylorhiza praetermissa</i> (Southern Marsh Orchid)	VLF	<i>Ranunculus auricomus</i> (Goldilocks Buttercup)	
<i>Alopecurus pratensis</i> (Meadow Foxtail)				<i>Ranunculus bulbosus</i> (Bulbous Buttercup)	
<i>Anthoxanthum odoratum</i> (Sweet Vernal Grass)	A	<i>Daucus carota</i> (Wild Carrot)	VLF	<i>Ranunculus flammula</i> (Lesser Spearwort)	
<i>Arrhenatherum elatius</i> (False Oat-grass)		<i>Equisetum arvense</i> (Field Horsetail)		<i>Ranunculus repens</i> (Creeping Buttercup)	F
<i>Brachypodium pinnatum</i> (Tor Grass)	VL	<i>Erica cinerea</i> (Bell Heather)			
<i>Briza media</i> (Quaking Grass)		<i>Erica tetralix</i> (Cross-leaved Heath)		<i>Rhinanthus minor</i> (Yellow Rattle)	R
<i>Bromopsis erecta</i> (Upright Brome)		<i>Eupatorium cannabinum</i> (Hemp Agrimony)		<i>Rubus fruticosus</i> sp. agg. (Bramble)	VLA
<i>Bromus commutatus</i> (Meadow Brome)		<i>Euphorbia amygdaloides</i> (Wood Spurge)		<i>Rumex acetosa</i> (Common Sorrel)	
<i>Bromus racemosus</i> (Smooth Brome)		<i>Euphrasia officinalis</i> agg. (Eyebright)		<i>Rumex acetosella</i> (Sheep's Sorrel)	
<i>Cynosurus cristatus</i> (Crested Dogstail)	F	<i>Filipendula ulmaria</i> (Meadowsweet)	VO	<i>Sanguisorba minor</i> (Salad Burnet)	
<i>Dactylis glomerata</i> (Cock's foot)	VL	<i>Fragaria vesca</i> (Wild Strawberry)		<i>Scabiosa columbaria</i> (Small Scabious)	
<i>Danthonia decumbens</i> (Heath Grass)		<i>Galium odoratum</i> (Sweet Woodruff)		<i>Scorzonerae autumnalis</i> (Autumn Hawkbit)	
<i>Deschampsia caespitosa</i> (Tufted Hair-grass)		<i>Galium palustre</i> (Marsh-bedstraw)	R	<i>Scrophularia nodosa</i> (Figwort)	
<i>Deschampsia flexuosa</i> (Wavy hair-grass)		<i>Galium saxatile</i> (Heath bedstraw)		<i>Senecio aquaticus</i> (Marsh Ragwort)	
<i>Eriophorum angustifolium</i> (Common Cotton-grass)		<i>Galium verum</i> (Lady's bedstraw)		<i>Senecio jacobaea</i> (Ragwort)	
<i>Festuca ovina</i> (Sheep's Fescue)		<i>Genista tinctoria</i> (Dyers Greenweed)		<i>Silaum silaus</i> (Pepper-saxifrage)	
<i>Festuca rubra</i> (Red Fescue)		<i>Geranium pratense</i> (Meadow Cranesbill)		<i>Stachys officinalis</i> (Betony)	VL
<i>Glyceria fluitans</i> (Floating Sweet-grass)		<i>Geranium robertianum</i> (Herb Robert)		<i>Stachys palustris</i> (Marsh Woundwort)	
<i>Helictotrichon pratense</i> (Meadow Oat-grass)		<i>Glechoma hederacea</i> (Ground Ivy)	VL	<i>Stachys sylvatica</i> (Hedge Woundwort)	
<i>Holcus lanatus</i> (Yorkshire Fog)	F/VLA	<i>Helianthemum nummularium</i> (Rock-rose)		<i>Stellaria graminea</i> (Lesser Stitchwort)	O/LF
<i>Holcus mollis</i> (Creeping Soft-grass)		<i>Heracleum sphondylium</i> (Hogweed)	O/VLF	<i>Stellaria holostea</i> (Greater Stitchwort)	
<i>Lolium perenne</i> (Perennial Rye-grass)	O/VLF	<i>Hyacinthoides non-scripta</i> (Bluebell)		<i>Succisa pratensis</i> (Devil's Bit Scabious)	
<i>Milium effusum</i> (Wood Millet)		<i>Hypericum maculatum</i> (Imperforate St Johns-Wort)	O/VLF	<i>Taraxacum officinale</i> sp. agg. (Dandelion)	Y
<i>Melica uniflora</i> (Wood Mellick)		<i>Hypericum perforatum</i> (Perforate St Johns-Wort)	R	<i>Thymus polytrichus</i> (Wild Thyme)	
<i>Molinia caerulea</i> (Purple Moor-grass)		<i>Hypericum tetrapterum</i> (Square Stalked St. Johns-Wort)		<i>Trifolium medium</i> (Zig-zag Clover)	
<i>Nardus stricta</i> (Mat Grass)		<i>Hypocharis glabra</i> (Smooth Catsear)		<i>Trifolium pratense</i> (Red Clover)	F
<i>Phalaris arundinacea</i> (Reed Canary-grass)		<i>Hypocharis radicata</i> (Common Catsear)	F	<i>Trifolium repens</i> (White Clover)	O/LF
<i>Phleum pratense</i> (Timothy Grass)	R	<i>Jasione montana</i> (Sheep's Bit)		<i>Tragopogon pratensis</i> (Goat's-beard)	
<i>Poa annua</i> (Annual Meadow-grass)		<i>Juncus acutiflorus</i> (Sharp-flowered Rush)	VL	<i>Vaccinium myrtillus</i> (Bilberry)	
<i>Poa trivialis</i> (Rough Meadow-grass)	VL	<i>Juncus articulatus</i> (Jointed Rush)	VL	<i>Valeriana dioica</i> (Marsh Valerian)	
<i>Trisetum flavescens</i> (Yellow Oat-grass)		<i>Juncus conglomeratus</i> (Compact Rush)	VL	<i>Valeriana officinalis</i> (Common Valerian)	
<i>Achillea millefolium</i> (Yarrow)	O	<i>Juncus effusus</i> (Soft Rush)		<i>Veronica beccabunga</i> (Brooklime)	
<i>Achillea ptarmica</i> (Sneezewort)	VL	<i>Juncus inflexus</i> (Hard Rush)		<i>Veronica chamaedrys</i> (Germaner Speedwell)	
<i>Agrimonia eupatoria</i> (Agrimony)		<i>Juncus squarrosum</i> (Heath Rush)		<i>Vicia cracca</i> (Tufted Vetch)	F
<i>Ajuga reptans</i> (Bugle)		<i>Juncus subnodulosus</i> (Blunt-flowered Rush)		<i>Vicia sativa</i> (Common Vetch)	O
<i>Alchemilla filicaulis</i> (Southern Lady's Mantle)		<i>Knautia arvensis</i> (Field Scabious)		<i>Vicia sepium</i> (Bush Vetch)	
<i>Alliaria petiolata</i> (Garlic Mustard)		<i>Lamiastrum galeobdolon</i> (Yellow Archangel)		<i>Viola canina</i> (Heath Dog-violet)	
<i>Allium ursinum</i> (Ramsons)		<i>Lathyrus nissolia</i> (Grass Vetchling)		<i>Viola reichenbachiana</i> (Early dog-violet)	
<i>Anemone nemorosa</i> (Wood Anemone)		<i>Lathyrus pratensis</i> (Meadow Vetchling)		<i>Viola riviniana</i> (Common Dog-violet)	
<i>Angelica sylvestris</i> (Wild Angelica)		<i>Leontodon hispidus</i> (Rough Hawkbit)		<i>Wahlenbergia hederacea</i> (Ivy-leaved Bell-flower)	
zosotis		<i>Leontodon saxatilis</i> (Lesser Hawkbit)		Other Species:	
<i>Calluna vulgaris</i> (Ling Heather)		<i>Leucanthemum vulgare</i> (Oxeye Daisy)	O	<i>Rumex obtusifolius</i> (Broad-leaved Dock)	VO
<i>Caltha palustris</i> (Marsh Marigold)		<i>Linum catharticum</i> (Fairy Flax)		<i>Prunus spinosa</i> (Blackthorn) sucker	VL
<i>Campanula rotundiflora</i> (Harebell)		<i>Listera ovata</i> (Tway-blade Orchid)		<i>Trifolium dubium</i> (Lesser Trefoil)	VO
<i>Campanula trachelium</i> (Nettle Leaved Bellflower)		<i>Lotus corniculatus</i> (Birds-foot Trefoil)	F	<i>Urtica dioica</i> (Stinging Nettles.)	VL
<i>Cardamine pratensis</i> (Cuckoo Flower)	Y	<i>Lotus uliginosus</i> (Greater Birds-foot Trefoil)	O/VLF	<i>Rumex sanguineus</i> (Wood Dock)	R
<i>Carex caryophyllea</i> (Spring Sedge)		<i>Luzula campestris</i> (Field Wood-rush)	Y	<i>Rumex crispus</i> (Curled Dock)	VO
<i>Carex disticha</i> (Brown Sedge)		<i>Luzula multiflora</i> (Heath Wood-rush)		<i>Quercus</i> sp. (Oak sp.) seedling	R
<i>Carex divulsa</i> (Grey Sedge)		<i>Lychis flos-cuculi</i> (Ragged Robin)	VLF	<i>Brachypodium sylvaticum</i> (False Wood Brome)	VL
<i>Carex obtrudea</i> (False Fox Sedge)		<i>Melampyrum pratense</i> (Cow-wheat)		<i>Plantago major</i> (Greater Plantain)	VL
<i>Carex flacca</i> (Glaucous Sedge)	O/VLF	<i>Mentha aquatica</i> (Water Mint)		<i>Alliaria petiolata</i> (Garlic Mustard)	VL
<i>Carex nigra</i> (Common Sedge)		<i>Mercurialis perennis</i> (Dog's-mercury)		<i>Carex hirta</i> (Hairy Sedge)	O
<i>Carex ovalis</i> (Oval Sedge)		<i>Myosotis arvensis</i> (Field Forget-me-not)		<i>Galium aparine</i> (Cleavers)	R
<i>Carex panicea</i> (Carnation Sedge)		<i>Narcissus pseudonarcissus</i> (Wild Daffodil)			
<i>Carex pseudocyperus</i> (Cyperus Sedge)		<i>Oenanthe crocata</i> (Hemlock Water-dropwort)	VLA	Reported by owners in 2020	

<i>Carex remota</i> (Remote Sedge)		<i>Ononis repens</i> (Common Restharrow)		<i>Ophioglossum vulgare</i> (Adder's Tongue)	R
<i>Carex riparia</i> (Greater Pond-sedge)		<i>Ophrys apifera</i> (Bee Orchid)			
<i>Carex rostrata</i> (Bottle Sedge)		<i>Orchis mascula</i> (Early Purple Orchid)			
<i>Carex spicata</i> (Spiked Sedge)		<i>Orchis morio</i> (Green-winged Orchid)			
<i>Carex sylvatica</i> (Wood Sedge)		<i>Pilosella officinarum</i> (Mouse-eared Hawkweed)			
<i>Centaurea nigra</i> (Common Knapweed)	A	<i>Pimpinella saxifraga</i> (Burnet Saxifrage)			
<i>Centaurea scabiosa</i> (Greater Knapweed)		<i>Plantago lanceolata</i> (Ribwort Plantain)	F		
<i>Centaurium erythraea</i> (Common Centaury)		<i>Polygala serpyllifolia</i> (Heath Milkwort)			
<i>Cerastium holosteoides</i> (Common Mouse-ear)	O	<i>Polygala vulgaris</i> (Common Milkwort)			
<i>Chrysosplenium oppositifolium</i> (Opposite Leaved Golden Saxifrage)		<i>Potentilla anserina</i> (Silverweed)	VLA		
<i>Cirsium arvense</i> (Creeping Thistle)	VO/VLF	<i>Potentilla erecta</i> (Tormentil)	VL		
<i>Cirsium dissectum</i> (Meadow Thistle)		<i>Potentilla reptans</i> (Creeping Cinquefoil)	VO		
<i>Cirsium palustre</i> (Marsh Thistle)		<i>Potentilla sterilis</i> (Barren Strawberry)			
<i>Cirsium vulgare</i> (Spear Thistle)		<i>Primula veris</i> (Cowslip)			

SITE NAME: Woodbine Cottage,
Coed Morgan

FIELD NUMBER: 2

DATE: 8/7/20

D D D

<i>Agrostis capillaris</i> (Common Bent)	F	<i>Conopodium majus</i> (Pignut)		<i>Prunella vulgaris</i> (Self-heal)	
<i>Agrostis stolonifera</i> (Creeping Bent)		<i>Crepis capillaris</i> (Smooth Hawks-beard)		<i>Pteridium aquilinum</i> (Bracken)	O/VLF
<i>Aira praecox</i> (Early Hair-grass)		<i>Crepis biennis</i> (Rough Hawks-beard)		<i>Pulicaria dysenterica</i> (Fleabane)	VL
<i>Alopecurus geniculatus</i> (Marsh Foxtail)		<i>Dactylorhiza fuchsii</i> (Common Spotted Orchid)		<i>Ranunculus acris</i> (Meadow Buttercup)	Y
<i>Alopecurus pratensis</i> (Meadow Foxtail)		<i>Dactylorhiza praetermissa</i> (Southern Marsh Orchid)	F	<i>Ranunculus auricomus</i> (Goldilocks Buttercup)	
<i>Anthoxanthum odoratum</i> (Sweet Vernal Grass)	F	<i>Daucus carota</i> (Wild Carrot)		<i>Ranunculus bulbosus</i> (Bulbous Buttercup)	
<i>Arrhenatherum elatius</i> (False Oat-grass)	VLF	<i>Equisetum arvense</i> (Field Horsetail)	VLF	<i>Ranunculus flammula</i> (Lesser Spearwort)	
<i>Brachypodium pinnatum</i> (Tor Grass)		<i>Erica cinerea</i> (Bell Heather)		<i>Ranunculus repens</i> (Creeping Buttercup)	
<i>Briza media</i> (Quaking Grass)		<i>Erica tetralix</i> (Cross-leaved Heath)		<i>Rhinanthus minor</i> (Yellow Rattle)	
<i>Bromopsis erecta</i> (Upright Brome)		<i>Eupatorium cannabinum</i> (Hemp Agrimony)		<i>Rubus fruticosus</i> sp. agg. (Bramble)	
<i>Bromus commutatus</i> (Meadow Brome)		<i>Euphorbia amygdaloides</i> (Wood Spurge)		<i>Rumex acetosa</i> (Common Sorrel)	O
<i>Bromus racemosus</i> (Smooth Brome)		<i>Euphrasia officinalis</i> agg. (Eyebright)		<i>Rumex acetosella</i> (Sheep's Sorrel)	
<i>Cynosurus cristatus</i> (Crested Dogstail)	F	<i>Filipendula ulmaria</i> (Meadowsweet)	LA	<i>Sanguisorba minor</i> (Salad Burnet)	
<i>Dactylis glomerata</i> (Cock's foot)		<i>Fragaria vesca</i> (Wild Strawberry)		<i>Scabiosa columbaria</i> (Small Scabious)	
<i>Danthonia decumbens</i> (Heath Grass)		<i>Galium odoratum</i> (Sweet Woodruff)		<i>Scorzoneroidea autumnalis</i> (Autumn Hawkbit)	
<i>Deschampsia caespitosa</i> (Tufted Hair-grass)		<i>Galium palustre</i> (Marsh-bedstraw)		<i>Scrophularia nodosa</i> (Figwort)	
<i>Deschampsia flexuosa</i> (Wavy hair-grass)		<i>Galium saxatile</i> (Heath bedstraw)		<i>Senecio aquaticus</i> (Marsh Ragwort)	
<i>Eriophorum angustifolium</i> (Common Cotton-grass)		<i>Galium verum</i> (Lady's bedstraw)		<i>Senecio jacobaea</i> (Ragwort)	VL
<i>Festuca ovina</i> (Sheep's Fescue)		<i>Genista tinctoria</i> (Dyers Greenweed)		<i>Silaum silaus</i> (Pepper-saxifrage)	
<i>Festuca rubra</i> (Red Fescue)	LF	<i>Geranium pratense</i> (Meadow Cranesbill)		<i>Stachys officinalis</i> (Betony)	R
<i>Glyceria fluitans</i> (Floating Sweet-grass)		<i>Geranium robertianum</i> (Herb Robert)		<i>Stachys palustris</i> (Marsh Woundwort)	
<i>Helictotrichon pratense</i> (Meadow Oat-grass)		<i>Glechoma hederacea</i> (Ground Ivy)	VL	<i>Stachys sylvatica</i> (Hedge Woundwort)	
<i>Holcus lanatus</i> (Yorkshire Fog)	F	<i>Helianthemum nummularium</i> (Rock-rose)		<i>Stellaria graminea</i> (Lesser Stitchwort)	F
<i>Holcus mollis</i> (Creeping Soft-grass)		<i>Heracleum sphondylium</i> (Hogweed)	VO	<i>Stellaria holostea</i> (Greater Stitchwort)	
<i>Lolium perenne</i> (Perennial Rye-grass)	O	<i>Hyacinthoides non-scripta</i> (Bluebell)		<i>Succisa pratensis</i> (Devil's Bit Scabious)	
<i>Milium effusum</i> (Wood Millet)		<i>Hypericum maculatum</i> (Imperforate St Johns-Wort)	O	<i>Taraxacum officinale</i> sp. agg. (Dandelion)	O
<i>Melica uniflora</i> (Wood Mellick)		<i>Hypericum perforatum</i> (Perforate St Johns-Wort)		<i>Thymus polytrichus</i> (Wild Thyme)	
<i>Molinia caerulea</i> (Purple Moor-grass)		<i>Hypericum tetrapterum</i> (Square Stalked St. Johns-Wort)	VL	<i>Trifolium medium</i> (Zig-zag Clover)	
<i>Nardus stricta</i> (Mat Grass)		<i>Hypochoeris glabra</i> (Smooth Catsear)		<i>Trifolium pratense</i> (Red Clover)	O
<i>Phalaris arundinacea</i> (Reed Canary-grass)		<i>Hypochoeris radicata</i> (Common Catsear)	O	<i>Trifolium repens</i> (White Clover)	
<i>Phleum pratense</i> (Timothy Grass)		<i>Jasione montana</i> (Sheep's Bit)		<i>Tragopogon pratensis</i> (Goat's-beard)	
<i>Poa annua</i> (Annual Meadow-grass)		<i>Juncus acutiflorus</i> (Sharp-flowered Rush)	LF	<i>Vaccinium myrtillus</i> (Bilberry)	
<i>Poa trivialis</i> (Rough Meadow-grass)	O/VLF	<i>Juncus articulatus</i> (Jointed Rush)		<i>Valeriana dioica</i> (Marsh Valerian)	
<i>Trisetum flavescens</i> (Yellow Oat-grass)		<i>Juncus conglomeratus</i> (Compact Rush)	O	<i>Valeriana officinalis</i> (Common Valerian)	
<i>Achillea millefolium</i> (Yarrow)		<i>Juncus effusus</i> (Soft Rush)	R	<i>Veronica beccabunga</i> (Brooklime)	
<i>Achillea ptarmica</i> (Sneezewort)		<i>Juncus inflexus</i> (Hard Rush)	VL	<i>Veronica chamaedrys</i> (Germander Speedwell)	VL
<i>Agrimonia eupatoria</i> (Agrimony)		<i>Juncus squarrosum</i> (Heath Rush)		<i>Vicia cracca</i> (Tufted Vetch)	F
<i>Ajuga reptans</i> (Bugle)		<i>Juncus subnodulosus</i> (Blunt-flowered Rush)		<i>Vicia sativa</i> (Common Vetch)	
<i>Alchemilla filicaulis</i> (Southern Lady's Mantle)		<i>Knautia arvensis</i> (Field Scabious)		<i>Vicia sepium</i> (Bush Vetch)	
<i>Alliaria petiolata</i> (Garlic Mustard)		<i>Lamiastrum galeobdolon</i> (Yellow Archangel)		<i>Viola canina</i> (Heath Dog-violet)	
<i>Allium ursinum</i> (Ramsions)		<i>Lathyrus nissolia</i> (Grass Vetchling)		<i>Viola reichenbachiana</i> (Early dog-violet)	
<i>Anemone nemorosa</i> (Wood Anemone)		<i>Lathyrus pratensis</i> (Meadow Vetchling)	LF	<i>Viola riviniana</i> (Common Dog-violet)	VLF
<i>Angelica sylvestris</i> (Wild Angelica)		<i>Leontodon hispidus</i> (Rough Hawkbit)		<i>Wahlenbergia hederacea</i> (Ivy-leaved Bell-flower)	

		Leontodon saxatilis (Lesser Hawkbit)		Other Species:
<i>yosotis</i>			VO	<i>Bromus hordeaceus</i> (Soft Brome) LF/LA
<i>Calluna vulgaris</i> (Ling Heather)		<i>Leucanthemum vulgare</i> (Oxeye Daisy)		
<i>Caltha palustris</i> (Marsh Marigold)		<i>Linum catharticum</i> (Fairy Flax)		<i>Prunus spinosa</i> (Blackthorn) sucker VL
<i>Campanula rotundiflora</i> (Harebell)		<i>Listera ovata</i> (Tway-blade Orchid)		<i>Trifolium dubium</i> (Lesser Trefoil) O
<i>Campanula trachelium</i> (Nettle Leaved Bellflower)		<i>Lotus corniculatus</i> (Birds-foot Trefoil)	F/A	<i>Carex pallescens</i> (Pale Sedge) O
<i>Cardamine pratensis</i> (Cuckoo Flower)		<i>Lotus uliginosus</i> (Greater Birds-foot Trefoil)	LF	<i>Arum maculatum</i> (Lords & Ladies) R
<i>Carex caryophyllea</i> (Spring Sedge)		<i>Luzula campestris</i> (Field Wood-rush)	F	<i>Rumex crispus</i> (Curled Dock) Y
<i>Carex disticha</i> (Brown Sedge)		<i>Luzula multiflora</i> (Heath Wood-rush)		<i>Salix cinerea</i> (Grey Willow) R
<i>Carex divulsa</i> (Grey Sedge)		<i>Lychnis flos-cuculi</i> (Ragged Robin)		<i>Veronica serpyllifolia</i> (Thyme Leaved Speedwell) R
<i>Carex obtusbea</i> (False Fox Sedge)		<i>Melampyrum pratense</i> (Cow-wheat)		<i>Plantago major</i> (Greater Plantain) Y
<i>Carex flacca</i> (Glaucous Sedge)	O	<i>Mentha aquatica</i> (Water Mint)	VL	<i>Sonchus asper</i> (Prickly Sow-thistle) R
<i>Carex nigra</i> (Common Sedge)		<i>Mercurialis perennis</i> (Dog's-mercury)		
<i>Carex ovalis</i> (Oval Sedge)		<i>Myosotis arvensis</i> (Field Forget-me-not)		
<i>Carex panicea</i> (Carnation Sedge)		<i>Narcissus pseudonarcissus</i> (Wild Daffodil)		
<i>Carex pseudocyperus</i> (Cyperus Sedge)		<i>Oenanthe crocata</i> (Hemlock Water-dropwort)	VLF	
<i>Carex remota</i> (Remote Sedge)		<i>Ononis repens</i> (Common Restharrow)		
<i>Carex riparia</i> (Greater Pond-sedge)		<i>Ophrys apifera</i> (Bee Orchid)		
<i>Carex rostrata</i> (Bottle Sedge)		<i>Orchis mascula</i> (Early Purple Orchid)		
<i>Carex spicata</i> (Spiked Sedge)		<i>Orchis morio</i> (Green-winged Orchid)		
<i>Carex sylvatica</i> (Wood Sedge)		<i>Pilosella officinarum</i> (Mouse-eared Hawkweed)		
<i>Centaurea nigra</i> (Common Knapweed)	A	<i>Pimpinella saxifraga</i> (Burnet saxifrage)		
<i>Centaurea scabiosa</i> (Greater Knapweed)		<i>Plantago lanceolata</i> (Ribwort Plantain)	F	
<i>Centaurium erythraea</i> (Common Centaury)		<i>Polygala serpyllifolia</i> (Heath Milkwort)		
<i>Cerastium holosteoides</i> (Common Mouse-ear)		<i>Polygala vulgaris</i> (Common Milkwort)		
<i>Chrysosplenium oppositifolium</i> (Opposite Leaved Golden Saxifrage)		Potentilla anserina (Silverweed)		
<i>Cirsium arvense</i> (Creeping Thistle)	VL	<i>Potentilla erecta</i> (Tormentil)		
<i>Cirsium dissectum</i> (Meadow Thistle)		<i>Potentilla reptans</i> (Creeping Cinquefoil)	O	
<i>Cirsium palustre</i> (Marsh Thistle)	VO	<i>Potentilla sterilis</i> (Barren Strawberry)		
<i>Cirsium vulgare</i> (Spear Thistle)		<i>Primula veris</i> (Cowslip)		

Key to abundances

D = Dominant

A = Abundant

F = Frequent

O = Occasional

R = Rare

Y = Yes (present)

Prefixs

L= Local/Locally

V= Very

Key to colour coding of grassland species list

Species in **Bold** equals indicator species for Neutral grasslands

Species in **Blue** equals indicator species for Marshy grasslands

(Please note other species in list may be indicator species for other grassland types and these have been taken in to account when assessing overall value of the site).