

Site Name	<b>Homlean Wood, Clydach</b>				
Site of Importance for Nature Conservation					
Date Verified	31/03/2013	Area (ha)	65	Site Ref	32

**Species Features**

Scientific name	Common name	W&CA/ EPS	S42	RDB	Priority SINC	Secondary SINC
<i>Acronicta psi</i>	Grey Dagger		invert			
<i>Acronicta rumicis</i>	Knot Grass		invert			
<i>Allophyes oxyacanthae</i>	Green Brindled Chestnut		invert			
<i>Apamea remissa</i>	Dusky Brocade		invert			
<i>Arctia caja</i>	Garden Tiger		invert			
<i>Argynnis paphia</i>	Silver-Washed Fritillary					MCS
<i>Caradrina morpheus</i>	Mottled Rustic		invert			
<i>Cossus cossus</i>	Goat Moth		invert			CCS
<i>Diarsia rubi</i>	Small Square-Spot		invert			
<i>Ecliptopera silaceata</i>	Small Phoenix		invert			
<i>Egretta garzetta</i>	Little Egret			Amber	A(B,W&P)	
<i>Ennomos fuscantaria</i>	Dusky Thorn		invert			
<i>Eugnorisma glareosa</i>	Autumnal Rustic		invert			
<i>Eulithis mellinata</i>	The Spinach		invert			
<i>Euxoa nigricans</i>	Garden Dart		invert			
<i>Falco tinnunculus</i>	Common Kestrel		Bird	Amber	A(B)	B(W&P)
<i>Ficedula hypoleuca</i>	Pied Flycatcher		Bird			B(B)
<i>Frangula alnus</i>	Alder Buckthorn			LC		CVP
<i>Hipparchia semele</i>	Grayling		invert			MCS
<i>Hoplodrina blanda</i>	The Rustic		invert			
<i>Larus fuscus</i>	Lesser Black-Backed Gull					B(B)
<i>Lycia hirtaria</i>	Brindled Beauty		invert			
<i>Melanchra persicariae</i>	Dot Moth		invert			
<i>Melanchra pisi</i>	Broom Moth		invert			
<i>Mesoligia literosa</i>	Rosy Minor		invert			
<i>Mythimna comma</i>	Shoulder-Striped Wainscot		invert			
<i>Orthonama vittata</i>	Oblique Carpet		invert			
<i>Orthosia gracilis</i>	Powdered Quaker		invert			
<i>Passer domesticus</i>	House Sparrow		Bird	Red		B(B,W&P)
<i>Pelurga comitata</i>	Dark Spinach		invert			
<i>Poecile palustris</i>	Marsh Tit		Bird	Red	A(B)	B(W&P)
<i>Pyrrhula pyrrhula</i>	Common Bullfinch		Bird	Red		B(B,W&P)
<i>Riparia riparia</i>	Sand Martin			Amber		B(B)
<i>Spilosoma lubricipeda</i>	White Ermine		invert			
<i>Spilosoma luteum</i>	Buff Ermine		invert			
<i>Sturnus vulgaris</i>	Common Starling		Bird	Red		B(B&R)
<i>Tholera cespitis</i>	Hedge Rustic		invert			
<i>Tholera decimalis</i>	Feathered Gothic		invert			
<i>Timandra comae</i>	Blood-Vein		invert			
<i>Turdus philomelos</i>	Song Thrush		Bird	Red		B(B,W&P)
<i>Tyria jacobaeae</i>	Cinnabar		invert			

Watsonalla binaria	Oak Hook-Tip		invert			
Xanthia icteritia	The Sallow		invert			
Xanthorhoe decoloraria	Red Carpet					
Xanthorhoe ferrugata	Dark-Barred Twin-Spot Carpet		invert			

**Habitat Features**

Name	SINC	S42	BAP	Area (ha)
Other habitats				1.50
Ancient Semi-natural Woodland	H1.3.1	X	X	12.59
Wld containing an Assemblage of AWI species	H1.3.2	X	X	1.67
Native Wld: Upland Oak Woodland	H1.3 (1)	X	X	5.46
Native Wld: Upland Mixed Ash Woodland	H1.3 (3)	X	X	7.50
Native Wld: Lowland Mixed Deciduous Woodland	H1.3 (5)	X	X	17.91
Structurally-diverse and species-rich Scrub	H1.4.1			6.27
Lowland Meadow	H5.1.1	X	X	1.69
Relatively species-rich neutral grassland	H5.1.2			5.12
Acid grassland with Anthills	H7.1.3	X	X	2.08
Species-rich Purple Moor-grass and Rush Pasture	H9.3.2	X	X	1.90
Watercourse with exposure/erosion features	H12.1.2	X	X	1.78
			Total	65.47

**Site Survey Information**

Name	spp list	SINC	P1	NVC
Species-rich Purple Moor-grass and Rush Pasture	64	H9.3.2	B5	M25a
Native Wld: Lowland Mixed Deciduous Woodland	66	H1.3 (5)	A1.1.1	W10
Wld containing an Assemblage of AWI species	79	H1.3.2	A1.1.1	W10
Structurally-diverse and species-rich Scrub	523	H1.4.1	A2.1	
Relatively species-rich neutral grassland	3201	H5.1.2	B2.2	MG1
Other habitats	3202			
Native Wld: Upland Oak Woodland	3204	H1.3 (1)	A1.1.1	
Lowland Meadow	3205	H5.1.1	B2.2	MG5
Watercourse with exposure/erosion features	37519	H12.1.2	G1	
Acid grassland with Anthills	578	H7.1.3		

**Site Information**

Ward/s	Grid ref
Clydach	SN683:008
Mawr	
Morrison	

### Habitat Features Map



