

Site Name	Port Einon to Oxwich Point				
Site of Importance for Nature Conservation					
Date Verified	31/03/2013	Area (ha)	57	Site Ref	370

Species Features

Scientific name	Common name	W&CA/ EPS	S42	RDB	Priority SINC	Secondary SINC
<i>Acronicta psi</i>	Grey Dagger		invert			
<i>Acronicta rumicis</i>	Knot Grass		invert			
<i>Agrochola helvola</i>	Flounched Chestnut		invert			
<i>Allophytes oxyacanthae</i>	Green Brindled Chestnut		invert			
<i>Amphipyra tragopoginis</i>	Mouse Moth		invert			
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid			LC		CVP
<i>Anas penelope</i>	Eurasian Wigeon			Amber		B(W&P)
<i>Anchusa arvensis</i>	Bugloss			LC		CVP
<i>Anthriscus caucalis</i>	Bur Chervil			LC	PVP	
<i>Anthus trivialis</i>	Tree Pipit		Bird	Amber	A(B)	
<i>Apamea remissa</i>	Dusky Brocade		invert			
<i>Arctia caja</i>	Garden Tiger		invert			
<i>Arenaria interpres</i>	Ruddy Turnstone			Amber		B(W&P)
<i>Argynnis aglaja</i>	Dark Green Fritillary					MCS
<i>Asperula cynanchica</i>	Squinancywort			LC	PVP	
<i>Atethmia centrugo</i>	Centre-Barred Sallow		invert			
<i>Blackstonia perfoliata</i>	Yellow-Wort			LC		CVP
<i>Bombus humilis</i>	Brown-Banded Carder-Bee		invert			
<i>Cakile maritima</i>	Sea Rocket			LC		CVP
<i>Calidris alpina</i>	Dunlin			Amber		B(W&P)
<i>Calystegia soldanella</i>	Sea Bindweed			LC		CVP
<i>Caradrina morpheus</i>	Mottled Rustic		invert			
<i>Carduelis cannabina</i>	Common Linnet		Bird	Red		B(B,W&P)
<i>Celaena leucostigma</i>	The Crescent		invert			
<i>Chamaemelum nobile</i>	Chamomile		VP	VU	PVP	
<i>Charadrius hiaticula</i>	Ringed Plover		Bird	Amber	A(B)	B(W&P)
<i>Chroicocephalus ridibundus</i>	Black-Headed Gull			Amber	A(B)	
<i>Coenonympha pamphilus</i>	Small Heath		invert			MCS
<i>Cupido minimus</i>	Small Blue	pt Sch 5	invert		CS	
<i>Cynoglossum officinale</i>	Hound's-Tongue			NT	PVP	
<i>Diarsia rubi</i>	Small Square-Spot		invert			
<i>Ecliptopera silaceata</i>	Small Phoenix		invert			
<i>Ectobius pallidus</i>	Tawny Cockroach				OrthA	
<i>Egretta garzetta</i>	Little Egret			Amber	A(B,W&P)	
<i>Emberiza citrinella</i>	Yellowhammer		Bird	Red	A(B)	B(W&P)
<i>Ennomos fuscantaria</i>	Dusky Thorn		invert			
<i>Epirrhoe galiata</i>	Galium Carpet		invert			
<i>Erodium lebelii</i>	Sticky Stork's-Bill			NS	PVP	
<i>Erodium maritimum</i>	Sea Stork's-Bill			LC		CVP

<i>Eryngium maritimum</i>	Sea-Holly			LC		CVP
<i>Erynnis tages</i>	Dingy Skipper		invert		CS	
<i>Eugnorisma glareosa</i>	Autumnal Rustic		invert			
<i>Euphorbia paralias</i>	Sea Spurge			LC		CVP
<i>Euxoa nigricans</i>	Garden Dart		invert			
<i>Euxoa tritici</i>	White-Line Dart		invert			
<i>Falco peregrinus</i>	Peregrine Falcon			Amber	A(B)	B(W&P)
<i>Falco tinnunculus</i>	Common Kestrel		Bird	Amber	A(B)	B(W&P)
<i>Forficula lesnei</i>	Lesne's Earwig				OrthA	
<i>Gallinago gallinago</i>	Common Snipe			Amber	A(B)	B(W&P)
<i>Gavia stellata</i>	Red-Throated Diver			Amber		B(W&P)
<i>Geranium rotundifolium</i>	Round-Leaved Crane's-Bill			LC		CVP
<i>Geranium sanguineum</i>	Bloody Crane's-Bill			LC	PVP	
<i>Haematopus ostralegus</i>	Eurasian Oystercatcher			Amber		B(B,W&P)
<i>Hemistola chrysoprasaria</i>	Small Emerald		invert			
<i>Hepialus humuli</i>	Ghost Moth		invert			
<i>Hipparchia semele</i>	Grayling		invert			MCS
<i>Hoplodrina blanda</i>	The Rustic		invert			
<i>Hydraecia micacea</i>	Rosy Rustic		invert			
<i>Hyoscyamus niger</i>	Henbane			VU	PVP	
<i>Idaea dilutaria</i>	Silky Wave		invert	NR	CS	
<i>Juniperus communis</i>	Juniper		VP	LC	PVP	
<i>Koeleria macrantha</i>	Crested Hair-Grass			LC		CVP
<i>Larus argentatus</i>	Herring Gull		Bird	Amber		B(B)
<i>Larus marinus</i>	Great Black-Backed Gull				A(B)	B(W&P)
<i>Lasiommata megera</i>	Wall		invert			MCS
<i>Lavatera arborea</i>	Tree-Mallow			LC		CVP
<i>Leptophyes punctatissima</i>	Speckled Bush Cricket					OrthB
<i>Limosa lapponica</i>	Bar-Tailed Godwit		Bird	Amber		B(W&P)
<i>Lycia hirtaria</i>	Brindled Beauty		invert			
<i>Malacosoma neustria</i>	Lackey		invert			
<i>Matthiola sinuata</i>	Sea Stock		VP	NR	PVP	
<i>Melanchra persicariae</i>	Dot Moth		invert			
<i>Melanchra pisi</i>	Broom Moth		invert			
<i>Melanthia procellata</i>	Pretty Chalk Carpet		invert			
<i>Mesoligia literosa</i>	Rosy Minor		invert			
<i>Myosotis ramosissima</i>	Early Forget-Me-Not			LC		CVP
<i>Mythimna comma</i>	Shoulder-Striped Wainscot		invert			
<i>Numenius arquata</i>	Eurasian Curlew		Bird	Amber	A(B)	B(W&P)
<i>Numenius phaeopus</i>	Whimbrel	Sch 1		Amber		B(W&P)
<i>Ophrys apifera</i>	Bee Orchid			LC		CVP
<i>Orobanche hederæ</i>	Ivy Broomrape			LC		CVP
<i>Orobanche minor</i>	Common Broomrape			LC		CVP
<i>Orthosia gracilis</i>	Powdered Quaker		invert			
<i>Papaver hybridum</i>	Rough Poppy			LC	PVP	
<i>Passer domesticus</i>	House Sparrow		Bird	Red		B(B,W&P)
<i>Pelurga comitata</i>	Dark Spinach		invert			
<i>Phleum arenarium</i>	Sand Cat's-Tail			LC		CVP

<i>Platycleis albopunctata</i>	Grey Bushcricket				OrthA	
<i>Pluvialis apricaria</i>	European Golden Plover		Bird		A(B)	B(W&P)
<i>Pluvialis squatarola</i>	Grey Plover			Amber		B(W&P)
<i>Prunella modularis</i>	Hedge Accentor		Bird			
<i>Pyrrhocorax pyrrhocorax</i>	Chough	Sch 1	Bird	Amber	A(B,W&P)	
<i>Pyrrhula pyrrhula</i>	Common Bullfinch		Bird	Red		B(B,W&P)
<i>Riparia riparia</i>	Sand Martin			Amber		B(B)
<i>Rosa pimpinellifolia</i>	Burnet Rose			LC		CVP
<i>Rubia peregrina</i>	Wild Madder			LC		CVP
<i>Saxicola torquatus</i>	Stonechat			Amber		B(B,W&P)
<i>Scopula marginepunctata</i>	Mullein Wave		invert			
<i>Scotopteryx bipunctaria</i>	Chalk Carpet		invert			CCS
<i>Scotopteryx chenopodiata</i>	Shaded Broad-Bar		invert			
<i>Spilosoma lubricipeda</i>	White Ermine		invert			
<i>Spilosoma luteum</i>	Buff Ermine		invert			
<i>Stellaria pallida</i>	Lesser Chickweed			LC	PVP	
<i>Sterna hirundo</i>	Common Tern					B(W&P)
<i>Sterna sandvicensis</i>	Sandwich Tern			Amber		B(W&P)
<i>Stilbia anomala</i>	Anomalous		invert			
<i>Sturnus vulgaris</i>	Common Starling		Bird	Red		B(B&R)
<i>Tadorna tadorna</i>	Common Shelduck			Amber	A(B)	B(W&P)
<i>Tettigonia viridissima</i>	Great Green Bushcricket				OrthA	
<i>Tholera decimalis</i>	Feathered Gothic		invert			
<i>Timandra comae</i>	Blood-Vein		invert			
<i>Trifolium scabrum</i>	Rough Clover			LC		CVP
<i>Trifolium subterraneum</i>	Subterranean Clover			LC	PVP	
<i>Tringa totanus</i>	Common Redshank			Amber	A(B)	B(W&P)
<i>Turdus philomelos</i>	Song Thrush		Bird	Red		B(B,W&P)
<i>Tyria jacobaeae</i>	Cinnabar		invert			
<i>Vanellus vanellus</i>	Northern Lapwing		Bird	Amber	A(B)	B(W&P)
<i>Veronica agrestis</i>	Green Field-Speedwell			LC		CVP
<i>Vicia lathyroides</i>	Spring Vetch			LC	PVP	
<i>Vulpia fasciculata</i>	Dune Fescue			NS		CVP
<i>Watsonalla binaria</i>	Oak Hook-Tip		invert			
<i>Xanthorhoe ferrugata</i>	Dark-Barred Twin-Spot Carpet		invert			
<i>Xestia castanea</i>	Neglected Rustic		invert			

Habitat Features

Name	SINC	S42	BAP	Area (ha)
Other habitats				0.40
Relatively species-rich neutral grassland	H5.1.2			1.29
Watercourse with exposure/erosion features	H12.1.2	X	X	0.03
Maritime Cliffs and Slopes	H15.1	X	X	13.23
Coastal Sand-Dune	H15.2	X	X	13.59
Coastal Vegetated Shingle	H15.3	X	X	0.60
Sabellaria alveolata Reefs	H17.2	X	X	0.31
Sandy shore	H18.6			27.95
			Total	57.38

Site Survey Information

Name	spp list	SINC	P1	NVC
Coastal Sand-Dune	37001	H15.2		
Maritime Cliffs and Slopes	37037	H15.1	A2.1	
Maritime Cliffs and Slopes	37038	H15.1	A2.1	
Watercourse with exposure/erosion features	597	H12.1.2	G2	
Coastal Vegetated Shingle	614	H15.3		
Sabellaria alveolata Reefs	620	H17.2		
Sandy shore	627	H18.6		

Site Information

Ward/s	Grid ref
Gower	SS474:854

Habitat Features Map



