CYNGOR CEFN GWLAD CYMRU COUNTRYSIDE COUNCIL FOR WALES

SITE OF SPECIAL SCIENTIFIC INTEREST CITATION

POWYS BRYN-BWCH

Date of Notification: 1954, 1965, 1978, 1979, 1999

National Grid Reference: SN920108

O.S. Maps: 1:50,000 Sheet number: 160

1:10,000 Sheet number: SN 91 SW

Site Area: 10.3 ha

Description:

Bryn-bwch is of special interest for its extensive area of fen-meadow, with associated mire, wet heath and wet woodland communities. The fen-meadow community, which is characterised by the presence of meadow thistle *Cirsium dissectum*, is a scarce and localised vegetation type in England and Wales.

The site comprises a series of contiguous enclosures, situated to the south of Ystradfellte. The land occupies a long narrow depression on a shoulder of land above the Afon Mellte at a height of 240 m. Drainage is impeded, with peaty soils overlying Carboniferous rocks of the Millstone Grit and Lwer Coal Measures.

Throughout the site, areas of fen-meadow, consisting of a short, well grazed and sedgy sward are interspersed with tall purple moor-grass *Molinia caerulea* tussocks. Meadow thistle, carnation sedge *Carex panicea*, devil's-bit scabious *Succisa pratensis*, tormentil *Potentilla erecta*, marsh valerian *Valerian dioica*, tawny sedge *C. hostiana*, yellow sedge *C. demissa* and bog pimpernel *Anagallis tenella* are all frequent. In the north of the site the community is grassier, and the central, most flushed area, has scattered common butterwort *Pinguicula vulgaris* and abundant flea sedge *Carex pulicari*.

In the large northern enclosure there is a short, grassy, species-rich sward, where purple moor-grass is again dominant. Here it is accompanied by tormentil, common cotton-grass *Eriophorum angustifolium* carnation sedge, the mosses *Polytrichum commune* and *Aulocomnium palustre* and the bog mosses *Sphagnum papillosum* and *S. subnitens*. A small strip of mire at the northern end of the site is less heavily grazed. Here the purple moor grass forms dense tussocks and associated species include marsh thistle *Cirsium palustre* and meadow-sweet *Filipendula ulmaria*. There are also extensive areas of almost pure purple moor-grass throughout the site.

Within the mire vegetation there are patches of wet heath dominated by deergrass *Scirpus cespitosus* and the bog moss *Sphagnum papillosum*, with frequent purple moor-grass, cross-leaved heath *Erica tetralix*, common cotton-grass, mat grass *Nardus stricta* heath rush

Juncus squarrosus, sheep's fescue Festuca ovina, common sedge, Carex nigra and the liverwort Odontoschisma sphagni.

The site has several well-defined flushes where bog mosses *Sphagnum* spp. are dominant. Associated species here include star sedge *Carex echinata*, purple moor-grass, round-leaved sundew *Drosera rotundifolia*, common sedge, carnation sedge, mat grass and sheep's fescue.

There are fringing stands of wet alder *Alnus glutinosa* and alder/ash *Fraxinus excelsior* woodland at the northern end of the site. The mire grades into grassland dominated by sheep's fescue and common bent *Agrostis capillaris* on the drier ground and additional interest is provided by a small clump of dry woodland containing old sessile oaks *Quercus petraea* close to Clyn-gwyn farmhouse.

Remarks:

This site lies within the Brecon Beacons National Park.

This document is **NOT** a definitive legal version and has been formatted, updated and partially edited for use on the CCW Web site. This document should not be used in any legal proceedings, public enquiry or any other hearing or appeal. If you require a full legal copy of the document please contact CCW in writing.